

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 1

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
0101	139	89.9	0.0	3.6	0.0	0.0	6.5	0.0
0102	483	86.3	0.0	6.4	0.0	0.0	7.2	0.0
0103	428	85.0	0.0	7.2	0.0	0.0	7.7	0.0
0104	141	92.9	0.0	3.5	0.0	0.0	3.5	0.0
0105	8	*	*	*	*	*	*	*
0250	194	74.7	0.5	4.1	6.2	0.0	14.4	0.0
0251	136	82.4	0.0	2.2	6.6	0.0	8.8	0.0
0252	178	36.5	0.0	2.8	0.6	0.0	59.6	0.6
0253	164	62.2	1.8	2.4	12.2	0.0	20.7	0.6
0401	565	86.0	0.0	5.3	0.0	0.2	8.5	0.0
0402	430	84.0	0.5	3.0	0.0	0.0	12.6	0.0
0403	156	89.7	0.0	3.2	0.0	0.0	7.1	0.0
0404	150	88.0	0.0	4.7	0.0	0.0	7.3	0.0
0501	527	94.3	0.8	1.1	0.4	0.0	3.4	0.0
0503	113	85.0	0.9	4.4	1.8	0.0	8.0	0.0
0504	474	84.4	0.4	4.2	1.1	0.2	9.7	0.0
0505	284	84.9	0.4	7.0	0.4	0.0	7.4	0.0
0506	208	88.9	0.5	1.9	0.5	0.0	8.2	0.0
0507	191	88.0	0.0	4.2	0.0	0.0	7.9	0.0
0508	62	*	*	*	*	*	*	*
0650	1,364	72.1	2.9	8.9	2.9	0.5	12.6	0.1

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 2

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
0651	776	89.7	0.1	5.2	0.3	0.0	4.5	0.3
0652	416	93.5	0.0	2.4	0.2	0.0	3.8	0.0
0653	595	95.5	0.2	1.8	0.0	0.0	2.5	0.0
0654	500	89.0	0.2	5.6	0.4	0.0	4.2	0.6
0655	418	92.1	0.0	2.2	0.2	0.0	5.5	0.0
0657	83	*	*	*	*	*	*	*
0701	693	87.9	0.9	2.6	0.7	1.2	6.8	0.0
0702	89	*	*	*	*	*	*	*
0703	204	81.9	1.0	2.9	2.0	0.0	11.8	0.5
0704	75	*	*	*	*	*	*	*
0705	98	*	*	*	*	*	*	*
0706	1	*	*	*	*	*	*	*
0850	893	78.7	4.1	10.6	0.0	0.8	5.7	0.0
0851	786	88.5	0.9	6.7	0.3	0.1	3.4	0.0
0901	2,036	66.2	1.6	17.2	0.0	0.2	14.6	0.1
0902	48	*	*	*	*	*	*	*
1051	1,405	75.9	0.3	11.2	1.4	0.4	10.9	0.0
1052	8	*	*	*	*	*	*	*
1101	1,800	31.2	50.2	9.7	0.2	1.6	6.4	0.7
1102	849	66.1	11.5	8.7	0.5	0.2	11.9	1.1
1106	70	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 3

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
1250	1,106	82.0	1.0	12.1	0.1	0.1	4.6	0.1
1251	766	89.4	0.7	6.3	0.0	0.0	3.7	0.0
1252	730	50.4	0.0	41.8	0.0	0.0	7.8	0.0
1253	894	66.3	0.8	15.2	0.0	0.0	17.2	0.4
1350	2,822	49.6	18.9	9.7	0.2	6.2	15.3	0.0
1352	562	66.5	16.5	7.7	0.0	0.0	9.3	0.0
1401	299	87.0	0.3	4.7	0.3	0.0	7.7	0.0
1402	156	53.2	0.0	28.8	9.6	0.0	8.3	0.0
1403	31	*	*	*	*	*	*	*
1501	1,021	41.4	3.6	46.4	0.2	0.1	7.7	0.5
1503	1,134	49.3	6.7	29.0	0.6	0.0	13.8	0.6
1504	2,453	32.4	4.1	52.8	0.1	2.2	8.1	0.2
1506	782	72.9	1.7	19.7	0.1	0.4	5.0	0.3
1507	733	82.7	1.2	7.1	0.0	0.5	8.5	0.0
1509	499	37.7	0.8	52.3	0.0	0.0	8.8	0.4
1511	842	79.9	1.4	10.5	0.1	0.0	8.1	0.0
1512	436	80.3	0.7	11.2	0.0	0.2	7.6	0.0
1514	901	68.0	4.2	17.0	0.2	0.6	9.9	0.1
1701	658	40.6	0.2	7.8	18.2	0.5	32.8	0.0
1950	691	87.7	0.0	9.4	0.0	0.0	2.9	0.0
1952	170	92.9	0.0	4.7	0.0	0.0	2.4	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 4

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
1953	331	86.7	0.0	9.7	0.0	0.0	3.6	0.0
1954	564	76.2	0.0	20.2	0.0	0.0	3.4	0.2
1955	124	69.4	0.0	22.6	0.0	0.0	8.1	0.0
1957	502	75.1	0.2	16.7	0.0	0.0	8.0	0.0
1963	82	*	*	*	*	*	*	*
2150	695	77.7	0.7	3.5	1.4	0.1	16.5	0.0
2151	210	72.9	0.5	13.8	1.0	0.0	11.9	0.0
2152	74	*	*	*	*	*	*	*
2251	520	98.1	0.0	0.8	0.0	0.0	1.2	0.0
2252	257	93.4	0.0	1.6	0.0	0.0	5.1	0.0
2554	74	*	*	*	*	*	*	*
2555	8,770	42.4	38.0	7.6	0.0	0.2	11.6	0.0
2556	445	19.1	58.2	6.3	0.2	0.0	16.2	0.0
2557	8	*	*	*	*	*	*	*
2560	2	*	*	*	*	*	*	*
2561	2	*	*	*	*	*	*	*
2562	19	*	*	*	*	*	*	*
2563	39	*	*	*	*	*	*	*
2564	14	*	*	*	*	*	*	*
3001	1,509	14.6	57.7	19.5	0.1	0.3	7.7	0.1
3002	369	14.4	44.4	30.1	0.0	0.0	11.1	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 5

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
3004	301	58.1	0.0	36.5	0.0	0.3	5.0	0.0
3005	152	83.6	0.7	7.9	0.0	2.0	5.9	0.0
3007	24	*	*	*	*	*	*	*
3009	2	*	*	*	*	*	*	*
3201	515	89.7	0.0	6.6	0.0	0.0	3.5	0.2
3301	5,473	26.8	29.9	20.5	0.1	5.1	17.4	0.1
3304	140	49.3	12.1	15.0	0.0	12.1	11.4	0.0
3305	274	54.4	14.2	20.1	0.0	2.6	8.8	0.0
3306	404	80.0	1.2	7.4	0.0	0.7	10.6	0.0
3308	147	86.4	0.7	4.8	0.0	0.0	7.5	0.7
3312	623	22.5	25.4	31.3	0.0	1.8	18.9	0.2
3314	2	*	*	*	*	*	*	*
3550	103	10.7	0.0	3.9	52.4	0.0	33.0	0.0
3551	17	*	*	*	*	*	*	*
3701	1,045	79.2	0.1	13.7	0.0	0.0	6.9	0.1
3850	4,099	60.0	13.0	9.1	0.0	0.3	17.4	0.1
3901	1,928	29.5	52.3	6.5	0.1	0.4	10.8	0.6
3902	29	*	*	*	*	*	*	*
3903	16	*	*	*	*	*	*	*
3950	2,637	43.8	25.0	15.0	0.1	0.7	14.5	0.9
3954	7	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 6

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
4106	2,767	7.2	35.2	50.3	0.1	0.4	6.8	0.0
4107	3,136	34.2	27.0	24.0	0.1	1.8	12.8	0.1
4109	815	70.6	2.7	13.5	0.0	0.5	12.8	0.0
4112	684	0.3	0.6	98.8	0.0	0.0	0.3	0.0
4115	3,686	22.1	28.6	25.4	0.1	14.2	9.5	0.1
4351	692	77.9	0.7	10.8	0.0	0.1	10.1	0.3
4352	232	61.2	11.2	4.7	0.0	0.0	22.8	0.0
4353	664	53.6	0.8	41.3	0.0	0.0	4.4	0.0
4354	951	82.4	3.2	5.6	0.1	0.3	8.4	0.0
4355	402	78.4	0.5	8.7	1.2	0.0	11.2	0.0
4356	493	72.0	0.8	15.0	0.0	0.4	11.6	0.2
4359	819	61.4	0.4	35.3	0.0	0.0	2.9	0.0
4360	290	76.9	0.0	16.2	0.0	0.0	6.6	0.3
4361	330	86.4	0.0	6.7	0.0	0.0	7.0	0.0
4362	371	87.3	0.5	4.0	0.0	0.5	7.5	0.0
4363	927	87.7	0.3	4.9	0.0	0.1	6.9	0.1
4401	1,095	82.8	1.5	9.3	0.1	0.5	5.8	0.1
4501	1,130	86.6	0.4	7.7	0.0	0.1	5.1	0.0
4601	1,418	64.6	1.7	24.3	0.1	0.1	9.0	0.2
4701	1,577	85.5	1.5	5.6	0.1	0.4	6.7	0.2
5050	1,899	38.8	41.3	4.7	0.0	1.1	14.1	0.1

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 7

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
5051	3,224	44.2	35.2	4.8	0.1	2.5	13.1	0.1
5052	3,464	25.2	38.9	3.5	0.1	20.2	12.0	0.0
5055	2,034	87.8	4.0	0.8	0.1	6.8	0.6	0.0
5101	1,805	58.3	11.6	15.8	0.0	1.3	12.9	0.1
5102	23	*	*	*	*	*	*	*
5202	901	82.0	0.8	4.7	0.9	0.4	11.2	0.0
5206	82	*	*	*	*	*	*	*
5601	1,338	82.7	1.6	6.6	0.1	0.2	8.7	0.0
5801	2,114	69.5	5.8	9.0	0.1	0.2	15.2	0.2
5803	97	*	*	*	*	*	*	*
5804	37	*	*	*	*	*	*	*
5806	69	*	*	*	*	*	*	*
6101	70	*	*	*	*	*	*	*
6102	127	78.0	0.0	9.4	0.0	0.0	12.6	0.0
6103	4,183	45.0	27.9	13.0	0.3	0.2	13.4	0.2
6105	27	*	*	*	*	*	*	*
6301	4,025	33.0	28.3	26.3	0.0	2.2	10.1	0.0
6312	2,378	35.8	48.6	3.8	0.1	1.9	9.8	0.0
6316	1,463	56.0	20.4	10.0	0.1	3.3	10.0	0.1
6318	12	*	*	*	*	*	*	*
6320	466	45.7	43.6	3.4	0.2	0.6	6.2	0.2

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 8

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
6325	376	87.8	1.6	5.1	0.3	0.0	5.3	0.0
6335	1,421	70.6	14.4	4.4	0.0	5.6	5.0	0.0
6345	130	80.8	6.2	5.4	0.0	3.1	4.6	0.0
6360	1,034	27.0	47.2	17.1	0.0	1.9	6.8	0.0
7306	2,834	36.1	29.0	23.5	0.0	0.1	11.2	0.1
7401	2,315	69.5	5.0	10.5	0.1	0.2	14.6	0.1
7601	619	91.3	0.0	5.2	0.0	0.0	3.6	0.0
7850	1,347	79.4	0.4	10.8	0.0	0.0	9.4	0.0
7852	22	*	*	*	*	*	*	*
8101	2,446	4.5	87.7	2.0	0.1	0.4	5.2	0.1
8102	744	16.5	17.2	60.3	0.0	1.1	4.8	0.0
8106	711	21.1	52.6	13.6	0.0	0.7	12.0	0.0
8150	19	*	*	*	*	*	*	*
8151	4,250	30.2	39.6	11.9	0.1	2.3	15.6	0.2
8152	28	*	*	*	*	*	*	*
8153	12	*	*	*	*	*	*	*
8155	32	*	*	*	*	*	*	*
8157	7	*	*	*	*	*	*	*
8201	3,465	36.9	41.4	6.5	0.1	3.5	11.5	0.1
8202	5,456	87.3	9.2	1.7	0.0	0.1	1.6	0.1
8203	481	53.0	24.9	6.7	0.2	1.0	13.9	0.2

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 9

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
8250	600	16.8	68.5	4.8	0.0	0.5	9.3	0.0
8252	202	10.4	73.3	4.0	0.0	1.0	10.9	0.5
8255	2,367	43.6	30.9	12.2	0.2	2.4	10.6	0.0
8257	2,734	53.4	8.8	0.6	0.1	35.8	1.2	0.1
8263	725	51.7	17.0	20.3	0.0	1.7	9.4	0.0
8264	887	55.7	27.2	6.5	0.0	1.4	9.2	0.0
8267	820	45.2	17.1	26.8	0.1	0.7	10.0	0.0
8901	1,203	7.4	83.0	3.2	0.0	1.7	4.7	0.0
8902	1,761	6.9	86.5	3.0	0.0	0.0	3.6	0.0
8903	1,720	3.8	87.7	2.0	0.1	1.0	5.3	0.0
8904	2,585	2.9	91.2	1.7	0.0	0.9	3.2	0.0
8905	2,495	61.1	23.2	9.6	0.0	1.7	4.3	0.0
8909	1,082	4.1	89.6	1.8	0.3	0.2	4.1	0.0
9045	1,975	6.4	25.8	64.3	0.1	0.1	3.2	0.1
9050	1,337	13.8	66.0	16.8	0.0	0.0	3.5	0.0
9051	1,878	5.1	6.4	86.5	0.0	0.1	1.9	0.1
9053	1,501	4.0	89.8	2.5	0.2	1.2	2.3	0.1
9055	256	2.7	94.9	1.2	0.0	0.8	0.4	0.0
9058	1,350	18.4	66.8	1.0	0.0	10.1	3.7	0.0
9066	2,607	1.4	94.4	1.1	0.0	0.2	3.0	0.0
9068	1,188	1.4	96.5	0.3	0.0	0.2	1.5	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 4A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 10

Michigan

Comparison of Racial and Ethnic Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3,4)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
9069	2,961	0.7	97.6	0.5	0.0	0.1	1.0	0.0
9070	1,960	5.7	87.4	1.8	0.2	1.5	3.4	0.0
9080	3,356	21.7	72.5	2.0	0.0	0.2	3.6	0.0
9082	157	0.0	96.2	2.5	0.0	0.0	1.3	0.0
9083	288	27.4	63.9	4.9	0.0	3.5	0.3	0.0
9084	305	4.3	94.1	0.3	0.0	0.0	1.3	0.0
9087	40	*	*	*	*	*	*	*
Michigan	188,977	46.0	29.1	13.3	0.3	2.3	9.0	0.1
National (Prior Year)	665,125	35.3	18.8	20.6	1.0	2.2	5.3	4.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

(4) Prenatal program participation

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if <100 records are available for analysis after exclusions

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 11

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
0101	139	27.3	22.3	50.4
0102	483	31.3	21.7	47.0
0103	428	30.4	21.0	48.6
0104	141	29.1	22.0	48.9
0105	8	*	*	*
0250	194	24.7	21.6	53.6
0251	136	27.9	22.8	49.3
0252	178	19.7	18.0	62.4
0253	164	31.1	19.5	49.4
0401	565	31.3	23.4	45.3
0402	430	29.1	21.9	49.1
0403	156	36.5	20.5	42.9
0404	150	28.7	26.0	45.3
0501	527	32.6	19.7	47.6
0503	113	34.5	21.2	44.2
0504	474	30.6	20.3	49.2
0505	284	31.0	23.2	45.8
0506	208	34.1	15.9	50.0
0507	191	22.0	19.9	58.1
0508	62	*	*	*
0650	1,364	29.5	21.8	48.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 12

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
0651	776	25.6	22.9	51.4
0652	416	31.0	21.4	47.6
0653	595	24.5	19.8	55.6
0654	500	29.4	24.2	46.4
0655	418	27.3	21.8	51.0
0657	83	*	*	*
0701	693	28.4	22.2	49.4
0702	89	*	*	*
0703	204	22.5	25.0	52.5
0704	75	*	*	*
0705	98	*	*	*
0706	1	*	*	*
0850	893	29.2	23.2	47.6
0851	786	31.4	18.3	50.3
0901	2,036	25.8	26.2	47.9
0902	48	*	*	*
1051	1,405	29.7	21.4	49.0
1052	8	*	*	*
1101	1,800	35.9	21.4	42.7
1102	849	37.7	21.0	41.3
1106	70	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 13

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
1250	1,106	31.3	25.4	43.3
1251	766	31.7	21.9	46.3
1252	730	27.1	20.5	52.3
1253	894	27.4	21.6	51.0
1350	2,822	31.7	23.8	44.5
1352	562	25.1	23.3	51.6
1401	299	31.1	21.4	47.5
1402	156	33.3	14.7	51.9
1403	31	*	*	*
1501	1,021	25.4	25.2	49.5
1503	1,134	27.0	21.7	51.3
1504	2,453	29.1	22.8	48.1
1506	782	30.2	19.7	50.1
1507	733	29.1	19.5	51.4
1509	499	30.7	18.4	50.9
1511	842	24.5	24.5	51.1
1512	436	28.9	23.6	47.5
1514	901	26.6	22.0	51.4
1701	658	32.8	22.8	44.4
1950	691	37.9	19.2	42.8
1952	170	32.4	18.8	48.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 14

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
1953	331	27.8	20.5	51.7
1954	564	33.7	20.6	45.7
1955	124	36.3	14.5	49.2
1957	502	31.7	18.9	49.4
1963	82	*	*	*
2150	695	32.9	23.2	43.9
2151	210	36.7	21.4	41.9
2152	74	*	*	*
2251	520	24.2	24.2	51.5
2252	257	24.5	15.2	60.3
2554	74	*	*	*
2555	8,770	30.4	21.5	48.1
2556	445	19.1	19.6	61.3
2557	8	*	*	*
2560	2	*	*	*
2561	2	*	*	*
2562	19	*	*	*
2563	39	*	*	*
2564	14	*	*	*
3001	1,509	29.0	19.7	51.2
3002	369	20.6	15.7	63.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 15

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3004	301	37.9	16.6	45.5
3005	152	40.1	23.0	36.8
3007	24	*	*	*
3009	2	*	*	*
3201	515	33.2	20.8	46.0
3301	5,473	29.7	21.5	48.9
3304	140	25.7	19.3	55.0
3305	274	21.5	19.7	58.8
3306	404	25.2	21.3	53.5
3308	147	29.3	26.5	44.2
3312	623	26.5	18.6	54.9
3314	2	*	*	*
3550	103	26.2	18.4	55.3
3551	17	*	*	*
3701	1,045	27.3	25.1	47.7
3850	4,099	28.4	21.4	50.2
3901	1,928	33.8	20.7	45.5
3902	29	*	*	*
3903	16	*	*	*
3950	2,637	30.4	21.3	48.3
3954	7	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 16

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
4106	2,767	30.3	19.8	49.9
4107	3,136	34.4	19.8	45.8
4109	815	25.0	19.1	55.8
4112	684	28.7	21.3	50.0
4115	3,686	31.5	19.8	48.6
4351	692	22.0	27.5	50.6
4352	232	26.3	20.7	53.0
4353	664	22.6	24.4	53.0
4354	951	26.9	22.7	50.4
4355	402	20.4	22.4	57.2
4356	493	24.1	25.4	50.5
4359	819	23.6	21.4	55.1
4360	290	24.1	20.7	55.2
4361	330	27.3	22.1	50.6
4362	371	26.7	22.1	51.2
4363	927	26.8	22.8	50.5
4401	1,095	29.2	20.1	50.7
4501	1,130	26.4	22.6	51.1
4601	1,418	31.9	20.8	47.2
4701	1,577	25.5	21.1	53.5
5050	1,899	29.6	23.0	47.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 17

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
5051	3,224	31.9	22.1	46.0
5052	3,464	29.4	23.3	47.3
5055	2,034	20.2	22.9	57.0
5101	1,805	31.0	24.8	44.2
5102	23	*	*	*
5202	901	25.9	23.6	50.5
5206	82	*	*	*
5601	1,338	34.0	17.6	48.4
5801	2,114	32.7	22.2	45.1
5803	97	*	*	*
5804	37	*	*	*
5806	69	*	*	*
6101	70	*	*	*
6102	127	15.7	25.2	59.1
6103	4,183	28.3	25.3	46.4
6105	27	*	*	*
6301	4,025	34.3	21.4	44.3
6312	2,378	29.9	20.7	49.4
6316	1,463	32.0	20.4	47.6
6318	12	*	*	*
6320	466	45.9	18.0	36.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 18

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
6325	376	34.6	21.5	43.9
6335	1,421	26.8	19.5	53.7
6345	130	31.5	19.2	49.2
6360	1,034	37.4	19.8	42.7
7306	2,834	32.5	19.6	47.9
7401	2,315	26.5	22.9	50.7
7601	619	32.1	20.8	47.0
7850	1,347	27.5	22.6	49.8
7852	22	*	*	*
8101	2,446	32.2	17.5	50.3
8102	744	37.0	18.3	44.8
8106	711	30.2	26.3	43.5
8150	19	*	*	*
8151	4,250	28.8	21.2	49.9
8152	28	*	*	*
8153	12	*	*	*
8155	32	*	*	*
8157	7	*	*	*
8201	3,465	28.9	23.8	47.3
8202	5,456	25.8	22.4	51.8
8203	481	24.9	21.2	53.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 19

Michigan

Comparison of Age Distribution by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
8250	600	29.7	25.7	44.7
8252	202	24.8	25.7	49.5
8255	2,367	27.3	24.4	48.2
8257	2,734	24.0	22.9	53.2
8263	725	27.3	25.2	47.4
8264	887	28.6	23.9	47.5
8267	820	27.8	20.9	51.3
8901	1,203	34.6	17.7	47.7
8902	1,761	31.5	21.1	47.5
8903	1,720	33.5	20.3	46.2
8904	2,585	29.0	23.8	47.2
8905	2,495	38.2	19.2	42.6
8909	1,082	38.8	19.2	42.0
9045	1,975	29.4	21.9	48.8
9050	1,337	26.9	22.1	51.0
9051	1,878	29.3	20.5	50.2
9053	1,501	40.5	19.2	40.3
9055	256	93.0	1.2	5.9
9058	1,350	28.7	21.6	49.7
9066	2,607	19.5	28.9	51.6
9068	1,188	31.3	21.3	47.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 5A**2021 Pediatric Nutrition Surveillance (1)**

Page : 20

Michigan**Comparison of Age Distribution by Clinic****Children Aged < 5 Years (2)**

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
9069	2,961	25.5	20.4	54.1
9070	1,960	35.6	19.8	44.5
9080	3,356	23.9	24.3	51.8
9082	157	35.7	19.7	44.6
9083	288	99.0	0.0	1.0
9084	305	78.0	7.2	14.8
9087	40	*	*	*
Michigan	188,977	29.8	21.7	48.5
National (Prior Year)	665,125	31.4	18.7	37.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* National includes previous year's data for all participating States and ITOs.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 21

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0101	31	*	*	17	*	*	*	4	*	*	3	*
0102	117	12.0 (58)	10.3 (100)	54	*	*	*	20	*	*	9	*
0103	103	9.7 (32)	3.9 (19)	64	*	*	*	17	*	*	20	*
0104	34	*	*	17	*	*	*	4	*	*	2	*
0105	1	*	*	1	*	*	*	0	*	*	0	*
0250	34	*	*	54	*	*	*	19	*	*	15	*
0251	28	*	*	40	*	*	*	13	*	*	8	*
0252	26	*	*	44	*	*	*	20	*	*	0	*
0253	35	*	*	56	*	*	*	24	*	*	15	*
0401	129	9.3 (28)	9.3 (94)	155	11.0 (66)	11.6 (74)	14.8 (91)	33	*	*	0	*
0402	101	15.8 (90)	6.9 (61)	182	13.2 (89)	11.0 (65)	14.8 (91)	67	*	*	9	*
0403	43	*	*	58	*	*	*	14	*	*	2	*
0404	31	*	*	45	*	*	*	12	*	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 22

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0501	90	*	*	432	6.3 (24)	6.9 (35)	12.5 (80)	190	20.0 (38)	16.8 (17)	308	8.8 (11)
0503	19	*	*	90	*	*	*	42	*	*	63	*
0504	96	*	*	368	4.3 (8)	3.5 (7)	9.8 (42)	176	18.8 (35)	12.5 (4)	265	7.5 (10)
0505	52	*	*	210	10.0 (57)	6.2 (30)	7.6 (16)	92	*	*	157	15.9 (20)
0506	43	*	*	149	8.7 (47)	8.1 (44)	12.8 (84)	67	*	*	101	3.0 (1)
0507	30	*	*	164	3.0 (3)	3.0 (5)	11.0 (60)	96	*	*	121	6.6 (8)
0508	3	*	*	48	*	*	*	29	*	*	45	*
0650	319	11.0 (46)	8.8 (88)	462	11.5 (71)	6.9 (35)	12.6 (81)	136	13.2 (13)	27.9 (39)	75	*
0651	162	12.3 (63)	6.2 (49)	242	17.4 (102)	6.2 (30)	17.8 (100)	79	*	*	20	*
0652	99	*	*	128	8.6 (45)	8.6 (48)	10.9 (59)	39	*	*	20	*
0653	110	8.2 (19)	7.3 (70)	283	9.5 (50)	5.7 (24)	7.8 (19)	127	19.7 (37)	11.8 (3)	137	10.9 (15)
0654	121	14.0 (81)	8.3 (81)	42	*	*	*	10	*	*	6	*
0655	90	*	*	131	12.2 (78)	9.9 (56)	12.2 (76)	46	*	*	21	*
0657	18	*	*	7	*	*	*	1	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 23

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0701	155	3.2 (2)	9.7 (96)	27	*	*	*	11	*	*	17	*
0702	19	*	*	0	*	*	*	0	*	*	0	*
0703	34	*	*	34	*	*	*	23	*	*	21	*
0704	15	*	*	7	*	*	*	5	*	*	4	*
0705	13	*	*	2	*	*	*	1	*	*	2	*
0706	1	*	*	0	*	*	*	0	*	*	0	*
0850	190	12.1 (60)	7.9 (78)	284	8.8 (48)	6.0 (28)	11.3 (62)	96	*	*	10	*
0851	160	10.6 (42)	7.5 (75)	120	3.3 (4)	9.2 (50)	11.7 (68)	45	*	*	14	*
0901	458	11.4 (53)	8.7 (86)	444	5.4 (16)	5.6 (21)	9.9 (43)	69	*	*	19	*
0902	7	*	*	8	*	*	*	1	*	*	0	*
1051	339	11.5 (55)	13.0 (106)	399	3.8 (5)	12.8 (82)	9.5 (38)	104	14.4 (22)	18.3 (24)	4	*
1052	8	*	*	1	*	*	*	0	*	*	0	*
1101	448	12.3 (63)	5.6 (39)	723	7.6 (34)	5.5 (20)	9.0 (31)	243	16.5 (30)	15.2 (8)	354	11.3 (16)
1102	207	10.1 (38)	7.2 (67)	328	5.8 (19)	4.3 (15)	11.6 (66)	106	14.2 (19)	17.9 (23)	157	5.7 (6)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 24

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
1106	13	*	*	11	*	*	*	2	*	*	3	*
1250	281	9.3 (28)	7.5 (75)	239	17.2 (101)	7.1 (39)	8.8 (28)	38	*	*	24	*
1251	165	9.7 (32)	5.5 (35)	74	*	*	*	16	*	*	51	*
1252	134	6.7 (11)	13.4 (107)	160	11.3 (68)	1.9 (1)	10.0 (45)	39	*	*	31	*
1253	163	7.4 (15)	13.5 (108)	221	10.9 (65)	10.4 (60)	9.5 (38)	51	*	*	45	*
1350	719	11.3 (51)	6.1 (45)	912	7.3 (31)	11.4 (73)	8.4 (25)	109	12.8 (11)	24.8 (37)	3	*
1352	104	4.8 (3)	6.7 (55)	134	6.0 (22)	8.2 (46)	11.2 (61)	21	*	*	1	*
1401	64	*	*	114	7.0 (30)	15.8 (96)	11.4 (63)	46	*	*	54	*
1402	28	*	*	53	*	*	*	25	*	*	23	*
1403	7	*	*	7	*	*	*	3	*	*	2	*
1501	199	12.1 (60)	5.5 (35)	650	5.5 (17)	3.8 (10)	14.0 (88)	294	15.3 (26)	17.3 (21)	447	5.8 (7)
1503	239	10.9 (45)	10.0 (98)	736	5.2 (14)	4.1 (11)	11.7 (68)	325	13.5 (15)	16.3 (13)	484	13.0 (19)
1504	455	11.4 (53)	9.2 (91)	1,178	4.9 (11)	4.1 (11)	12.0 (74)	477	15.3 (26)	15.1 (7)	764	24.2 (25)
1506	164	8.5 (23)	9.1 (90)	492	5.9 (21)	5.7 (24)	12.2 (76)	196	14.3 (21)	18.4 (25)	283	12.7 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 25

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
1507	147	8.2 (19)	10.2 (99)	347	6.9 (27)	5.2 (19)	5.8 (10)	135	11.1 (6)	7.4 (1)	179	26.8 (27)
1509	122	6.6 (10)	5.7 (41)	307	7.5 (33)	6.8 (33)	10.7 (56)	123	17.9 (34)	16.3 (13)	187	5.3 (4)
1511	164	11.0 (46)	8.5 (85)	515	6.0 (22)	4.9 (17)	11.7 (68)	225	10.2 (3)	16.9 (19)	340	23.2 (24)
1512	93	*	*	320	9.7 (52)	5.9 (26)	10.6 (53)	128	13.3 (14)	16.4 (15)	189	26.5 (26)
1514	202	13.9 (79)	7.4 (73)	508	7.9 (36)	4.1 (11)	10.0 (45)	231	12.1 (8)	14.3 (6)	276	28.6 (28)
1701	153	5.9 (7)	11.1 (104)	178	14.0 (94)	6.7 (32)	19.1 (102)	55	*	*	20	*
1950	183	18.0 (101)	9.3 (94)	165	10.3 (60)	13.3 (86)	7.3 (15)	34	*	*	16	*
1952	36	*	*	40	*	*	*	11	*	*	7	*
1953	62	*	*	78	*	*	*	22	*	*	6	*
1954	122	9.0 (27)	5.7 (41)	103	9.7 (52)	6.8 (33)	7.8 (19)	12	*	*	8	*
1955	32	*	*	28	*	*	*	7	*	*	7	*
1957	108	19.4 (104)	8.3 (81)	101	6.9 (27)	16.8 (98)	11.9 (71)	22	*	*	13	*
1963	14	*	*	16	*	*	*	6	*	*	2	*
2150	165	5.5 (5)	7.9 (78)	452	8.6 (45)	2.9 (4)	12.2 (76)	171	19.3 (36)	14.0 (5)	280	4.3 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 26

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
2151	61	*	*	142	8.5 (44)	5.6 (21)	10.6 (53)	58	*	*	84	*
2152	15	*	*	40	*	*	*	17	*	*	22	*
2251	115	6.1 (8)	8.7 (86)	99	*	*	*	24	*	*	10	*
2252	39	*	*	17	*	*	*	7	*	*	8	*
2554	19	*	*	51	*	*	*	23	*	*	26	*
2555	2,026	12.6 (67)	4.6 (26)	1,291	12.0 (77)	7.5 (42)	14.7 (90)	330	15.5 (28)	25.5 (38)	202	16.3 (22)
2556	66	*	*	44	*	*	*	18	*	*	4	*
2557	0	*	*	0	*	*	*	0	*	*	0	*
2560	0	*	*	0	*	*	*	0	*	*	0	*
2561	0	*	*	0	*	*	*	0	*	*	0	*
2562	2	*	*	2	*	*	*	2	*	*	0	*
2563	3	*	*	4	*	*	*	3	*	*	1	*
2564	0	*	*	0	*	*	*	0	*	*	0	*
3001	319	19.4 (104)	3.8 (16)	257	5.8 (19)	11.3 (71)	3.9 (4)	2	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 27

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
3002	43	*	*	35	*	*	*	0	*	*	0	*
3004	81	*	*	103	1.9 (1)	17.5 (100)	4.9 (6)	11	*	*	4	*
3005	42	*	*	43	*	*	*	0	*	*	0	*
3007	4	*	*	8	*	*	*	1	*	*	5	*
3009	0	*	*	0	*	*	*	0	*	*	0	*
3201	113	2.7 (1)	10.6 (103)	245	4.9 (11)	3.7 (9)	9.4 (37)	92	*	*	145	5.5 (5)
3301	1,202	12.1 (60)	5.6 (39)	1,506	8.2 (39)	11.2 (69)	9.6 (40)	279	12.5 (9)	20.4 (31)	27	*
3304	26	*	*	31	*	*	*	9	*	*	0	*
3305	43	*	*	68	*	*	*	22	*	*	0	*
3306	78	*	*	120	12.5 (82)	7.5 (42)	9.2 (33)	30	*	*	2	*
3308	30	*	*	49	*	*	*	5	*	*	1	*
3312	136	10.3 (40)	6.6 (54)	156	10.3 (60)	9.6 (53)	12.8 (84)	34	*	*	3	*
3314	2	*	*	2	*	*	*	0	*	*	0	*
3550	20	*	*	29	*	*	*	8	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 28

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under-Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
3551	1	*	*	2	*	*	*	1	*	*	0	*
3701	244	8.2 (19)	9.8 (97)	415	4.6 (9)	8.7 (49)	8.9 (30)	110	10.0 (2)	16.4 (15)	177	3.4 (2)
3850	851	12.0 (58)	7.3 (70)	1,403	5.2 (14)	10.5 (62)	9.3 (36)	344	14.5 (23)	19.2 (27)	350	6.6 (8)
3901	469	13.4 (74)	4.1 (21)	405	4.2 (7)	12.8 (82)	3.5 (2)	9	*	*	3	*
3902	5	*	*	8	*	*	*	0	*	*	0	*
3903	2	*	*	2	*	*	*	0	*	*	0	*
3950	559	11.8 (56)	8.2 (80)	652	5.1 (13)	11.0 (65)	5.2 (8)	73	*	*	5	*
3954	0	*	*	0	*	*	*	0	*	*	0	*
4106	622	14.5 (83)	5.1 (31)	1,394	10.6 (63)	2.2 (2)	16.8 (99)	627	15.8 (29)	22.0 (34)	989	9.2 (13)
4107	825	16.8 (94)	6.4 (52)	1,881	10.6 (63)	4.7 (16)	9.0 (31)	800	13.1 (12)	10.9 (2)	1,211	15.9 (20)
4109	144	11.1 (49)	6.3 (50)	480	9.8 (54)	5.6 (21)	12.1 (75)	223	10.8 (5)	16.1 (12)	274	16.8 (23)
4112	173	5.2 (4)	2.9 (7)	518	4.6 (9)	5.0 (18)	15.3 (95)	171	22.2 (39)	24.0 (36)	26	*
4115	841	14.6 (85)	6.1 (45)	2,082	8.3 (40)	3.2 (6)	13.2 (87)	1,022	14.2 (19)	15.5 (9)	1,561	12.0 (17)
4351	135	11.9 (57)	10.4 (101)	169	16.0 (99)	3.6 (8)	16.6 (97)	43	*	*	9	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 29

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
4352	49	*	*	43	*	*	*	12	*	*	10	*
4353	131	10.7 (44)	9.2 (91)	184	3.8 (5)	6.0 (28)	10.3 (50)	66	*	*	66	*
4354	214	7.9 (18)	8.4 (84)	225	13.3 (90)	10.2 (58)	15.6 (96)	103	13.6 (16)	23.3 (35)	27	*
4355	72	*	*	21	*	*	*	6	*	*	4	*
4356	105	5.7 (6)	6.7 (55)	107	6.5 (26)	12.1 (77)	10.3 (50)	34	*	*	8	*
4359	168	11.3 (51)	5.4 (34)	165	10.3 (60)	7.3 (41)	14.5 (89)	57	*	*	0	*
4360	65	*	*	34	*	*	*	12	*	*	14	*
4361	80	*	*	45	*	*	*	16	*	*	13	*
4362	84	*	*	56	*	*	*	22	*	*	16	*
4363	208	11.1 (49)	11.1 (104)	77	*	*	*	26	*	*	23	*
4401	237	7.2 (13)	5.5 (35)	94	*	*	*	7	*	*	3	*
4501	218	6.4 (9)	9.2 (91)	456	7.7 (35)	7.2 (40)	12.7 (82)	166	15.1 (25)	19.3 (28)	113	10.6 (14)
4601	329	10.3 (40)	7.0 (62)	223	13.9 (93)	8.1 (44)	16.6 (97)	81	*	*	2	*
4701	302	12.3 (63)	8.9 (89)	26	*	*	*	9	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 30

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under-Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
5050	416	13.9 (79)	4.6 (26)	75	*	*	*	22	*	*	0	*
5051	717	12.6 (67)	7.0 (62)	69	*	*	*	21	*	*	0	*
5052	728	12.9 (69)	3.4 (12)	102	11.8 (74)	9.8 (54)	12.7 (82)	39	*	*	1	*
5055	374	10.2 (39)	6.1 (45)	84	*	*	*	34	*	*	0	*
5101	458	10.0 (36)	5.2 (33)	650	6.9 (27)	10.3 (59)	10.6 (53)	181	16.6 (31)	16.0 (11)	132	9.1 (12)
5102	1	*	*	3	*	*	*	3	*	*	3	*
5202	191	7.3 (14)	10.5 (102)	312	8.3 (40)	9.9 (56)	5.8 (10)	79	*	*	23	*
5206	9	*	*	21	*	*	*	7	*	*	4	*
5601	302	9.3 (28)	8.3 (81)	388	11.3 (68)	5.9 (26)	11.9 (71)	123	9.8 (1)	20.3 (29)	37	*
5801	481	10.6 (42)	7.7 (77)	510	13.1 (88)	17.8 (102)	9.6 (40)	62	*	*	3	*
5803	8	*	*	15	*	*	*	8	*	*	0	*
5804	6	*	*	6	*	*	*	2	*	*	0	*
5806	25	*	*	27	*	*	*	1	*	*	0	*
6101	13	*	*	19	*	*	*	5	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 31

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
6102	18	*	*	33	*	*	*	5	*	*	1	*
6103	984	10.0 (36)	6.8 (58)	1,247	7.9 (36)	11.9 (76)	8.6 (26)	170	11.8 (7)	17.1 (20)	13	*
6105	2	*	*	3	*	*	*	0	*	*	0	*
6301	961	14.7 (87)	5.8 (43)	560	13.0 (87)	12.5 (80)	10.2 (48)	102	12.7 (10)	20.6 (32)	1	*
6312	493	13.6 (77)	6.1 (45)	355	12.7 (84)	13.5 (87)	9.9 (43)	71	*	*	2	*
6316	310	8.7 (25)	4.5 (24)	269	7.4 (32)	9.3 (51)	7.1 (14)	73	*	*	1	*
6318	0	*	*	0	*	*	*	0	*	*	0	*
6320	154	8.4 (22)	6.5 (53)	249	12.9 (86)	10.4 (60)	9.2 (33)	53	*	*	2	*
6325	82	*	*	172	8.1 (38)	4.1 (11)	11.6 (66)	51	*	*	0	*
6335	255	12.5 (66)	6.7 (55)	568	9.0 (49)	12.3 (78)	11.4 (63)	197	10.2 (3)	15.7 (10)	6	*
6345	25	*	*	61	*	*	*	24	*	*	0	*
6360	264	15.2 (88)	4.5 (24)	405	12.6 (83)	14.8 (92)	14.8 (91)	89	*	*	0	*
7306	622	13.7 (78)	5.0 (30)	738	6.4 (25)	11.0 (65)	7.9 (21)	101	16.8 (32)	16.8 (17)	2	*
7401	516	9.9 (35)	6.8 (58)	798	12.4 (81)	13.0 (84)	10.2 (48)	214	13.6 (16)	17.8 (22)	54	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 32

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
7601	137	9.5 (31)	3.6 (14)	69	*	*	*	30	*	*	44	*
7850	298	8.7 (25)	7.4 (73)	155	8.4 (42)	14.8 (92)	7.7 (17)	30	*	*	2	*
7852	3	*	*	7	*	*	*	1	*	*	0	*
8101	513	17.2 (97)	3.1 (9)	525	14.7 (98)	13.0 (84)	8.8 (28)	68	*	*	0	*
8102	230	7.8 (16)	4.8 (29)	180	5.6 (18)	14.4 (90)	8.3 (23)	13	*	*	0	*
8106	193	13.0 (70)	4.1 (21)	119	8.4 (42)	16.8 (98)	9.2 (33)	11	*	*	0	*
8150	3	*	*	3	*	*	*	0	*	*	0	*
8151	895	13.5 (75)	6.3 (50)	930	12.2 (78)	10.6 (63)	10.1 (47)	222	17.6 (33)	20.3 (29)	59	*
8152	3	*	*	6	*	*	*	2	*	*	1	*
8153	0	*	*	2	*	*	*	1	*	*	0	*
8155	2	*	*	0	*	*	*	0	*	*	0	*
8157	0	*	*	2	*	*	*	2	*	*	0	*
8201	592	13.2 (73)	7.1 (65)	438	17.8 (103)	9.4 (52)	19.4 (103)	161	14.9 (24)	18.6 (26)	1	*
8202	1,037	7.8 (16)	4.6 (26)	51	*	*	*	16	*	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 33

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
8203	73	*	*	48	*	*	*	24	*	*	0	*
8250	92	*	*	51	*	*	*	17	*	*	0	*
8252	45	*	*	30	*	*	*	4	*	*	0	*
8255	383	11.0 (46)	5.5 (35)	218	11.9 (76)	6.9 (35)	18.3 (101)	81	*	*	0	*
8257	399	17.5 (99)	2.8 (6)	34	*	*	*	6	*	*	0	*
8263	123	13.0 (70)	7.3 (70)	71	*	*	*	26	*	*	2	*
8264	158	14.6 (85)	7.0 (62)	55	*	*	*	15	*	*	0	*
8267	132	6.8 (12)	6.8 (58)	65	*	*	*	24	*	*	0	*
8901	265	14.0 (81)	7.2 (67)	201	13.4 (92)	13.9 (89)	12.9 (86)	23	*	*	1	*
8902	351	17.4 (98)	3.4 (12)	185	14.1 (95)	12.4 (79)	10.3 (50)	23	*	*	0	*
8903	372	15.6 (89)	3.2 (11)	168	10.1 (58)	15.5 (95)	8.3 (23)	14	*	*	0	*
8904	482	18.3 (102)	2.3 (3)	561	14.3 (97)	14.4 (90)	15.0 (94)	114	14.0 (18)	21.1 (33)	0	*
8905	726	13.5 (75)	5.9 (44)	353	13.3 (90)	19.3 (103)	8.2 (22)	39	*	*	0	*
8909	317	19.2 (103)	3.8 (16)	312	14.1 (95)	16.3 (97)	11.5 (65)	35	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 34

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
9045	443	13.1 (72)	7.2 (67)	243	12.8 (85)	17.7 (101)	10.7 (56)	13	*	*	0	*
9050	272	16.9 (95)	5.1 (31)	134	11.2 (67)	11.2 (69)	11.9 (71)	18	*	*	0	*
9051	420	8.6 (24)	7.1 (65)	222	11.3 (68)	11.3 (71)	12.2 (76)	30	*	*	1	*
9053	457	17.1 (96)	3.1 (9)	396	11.6 (73)	9.8 (54)	8.6 (26)	45	*	*	0	*
9055	238	9.7 (32)	3.8 (16)	221	12.2 (78)	2.7 (3)	5.9 (13)	1	*	*	0	*
9058	286	16.4 (92)	2.4 (4)	102	11.8 (74)	13.7 (88)	4.9 (6)	9	*	*	2	*
9066	435	17.7 (100)	3.0 (8)	130	11.5 (71)	8.5 (47)	5.4 (9)	12	*	*	0	*
9068	253	21.7 (107)	2.0 (1)	274	9.9 (56)	6.9 (35)	7.7 (17)	25	*	*	0	*
9069	582	19.4 (104)	4.0 (20)	326	9.5 (50)	11.0 (65)	5.8 (10)	26	*	*	1	*
9070	547	16.5 (93)	3.7 (15)	326	9.8 (54)	10.7 (64)	3.7 (3)	19	*	*	0	*
9080	688	16.0 (91)	4.1 (21)	323	16.7 (100)	12.7 (81)	10.8 (58)	46	*	*	0	*
9082	40	*	*	52	*	*	*	17	*	*	1	*
9083	279	22.6 (108)	2.5 (5)	226	2.2 (2)	15.0 (94)	1.3 (1)	0	*	*	0	*
9084	235	14.5 (83)	2.1 (2)	205	10.2 (59)	11.7 (75)	3.9 (4)	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2021 Pediatric Nutrition Surveillance (1)

Page : 35

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
9087	5	*	*	10	*	*	*	6	*	*	3	*
Michigan	41,412	12.5	6.2	45,363	9.2	8.5	10.9	12,937	14.6	17.9	11,638	13.0
National (Prior Year)	132,223	11.8	5.8	433,338	11.8	4.7	12.8	177,451	15.7	14.7	117,914	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 36

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
0101	31	*	17	*	24	*	11	*	13	*	70	*	139	0.7 (23)
0102	116	61.2 (70)	64	*	77	*	32	*	46	*	232	85.8 (51)	483	2.7 (114)
0103	103	61.2 (70)	64	*	70	*	41	*	52	*	210	88.6 (36)	427	4.7 (147)
0104	34	*	25	*	25	*	18	*	20	*	68	*	141	2.1 (93)
0105	1	*	1	*	1	*	0	*	1	*	5	*	8	*
0250	34	*	24	*	23	*	13	*	18	*	107	86.9 (43)	194	2.6 (110)
0251	28	*	24	*	17	*	15	*	19	*	71	*	136	4.4 (143)
0252	26	*	23	*	24	*	14	*	20	*	114	83.3 (68)	178	2.2 (97)
0253	35	*	29	*	28	*	23	*	26	*	83	*	164	3.0 (120)
0401	130	66.9 (54)	102	40.2 (6)	109	11.9 (57)	59	*	83	*	264	87.5 (40)	564	1.6 (74)
0402	102	73.5 (25)	57	*	63	*	45	*	47	*	227	89.4 (32)	430	3.3 (128)
0403	43	*	28	*	26	*	15	*	23	*	68	*	156	5.8 (152)
0404	31	*	27	*	34	*	18	*	25	*	69	*	150	2.7 (114)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 37

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
0501	103	82.5 (5)	90	*	80	*	54	*	78	*	256	87.9 (38)
0503	21	*	14	*	13	*	7	*	11	*	54	*
0504	96	*	82	*	59	*	48	*	66	*	239	84.1 (66)
0505	58	*	54	*	40	*	36	*	49	*	134	94.8 (10)
0506	49	*	23	*	16	*	14	*	20	*	102	86.3 (48)
0507	32	*	30	*	19	*	18	*	25	*	118	95.8 (8)
0508	4	*	7	*	6	*	3	*	7	*	46	*
0650	319	57.7 (78)	198	29.8 (36)	219	13.2 (44)	115	25.2 (4)	149	10.7 (17)	688	90.0 (24)
0651	162	56.2 (85)	120	30.0 (34)	125	12.0 (53)	83	*	101	11.9 (11)	410	90.0 (24)
0652	99	*	51	*	64	*	25	*	41	*	202	84.7 (57)
0653	110	71.8 (35)	76	*	93	*	45	*	64	*	336	80.7 (80)
0654	121	66.9 (54)	82	*	93	*	51	*	61	*	239	89.5 (30)
0655	90	*	56	*	67	*	34	*	45	*	215	82.8 (72)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 38

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
0657	18	*	9	*	9	*	6	*	6	*	48	*
0701	155	88.4 (1)	126	54.0 (1)	111	20.7 (8)	86	*	109	12.8 (8)	349	90.8 (21)
0702	19	*	18	*	19	*	11	*	17	*	41	*
0703	35	*	26	*	32	*	14	*	21	*	109	83.5 (67)
0704	15	*	12	*	7	*	9	*	12	*	44	*
0705	13	*	13	*	15	*	8	*	13	*	57	*
0706	1	*	0	*	0	*	0	*	0	*	0	*
0850	198	82.8 (4)	85	*	145	14.5 (35)	37	*	72	*	418	81.1 (78)
0851	163	82.2 (6)	83	*	104	19.2 (12)	51	*	76	*	390	85.4 (53)
0901	459	64.5 (62)	236	28.0 (39)	348	13.8 (41)	138	15.2 (26)	214	2.8 (60)	1,008	85.5 (52)
0902	7	*	8	*	8	*	4	*	7	*	27	*
1051	341	84.8 (3)	181	45.3 (3)	223	22.4 (3)	98	*	143	14.0 (4)	692	87.0 (42)
1052	8	*	0	*	0	*	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 39

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding ⁽⁶⁾						Exclusive Breastfeeding ⁽⁷⁾				≤ 2 Hours TV Viewing/Day ⁽⁸⁾		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1101	452	63.1 (69)	316	30.1 (32)	261	13.8 (41)	224	17.4 (19)	267	8.2 (29)	789	71.6 (107)	1,769	3.5 (132)
1102	208	74.0 (22)	165	33.9 (19)	135	14.1 (39)	107	24.3 (5)	145	11.7 (12)	347	81.6 (75)	835	2.5 (108)
1106	13	*	14	*	11	*	13	*	13	*	30	*	69	*
1250	286	72.7 (29)	199	25.1 (51)	164	15.9 (29)	126	12.7 (29)	166	9.6 (20)	481	76.3 (95)	1,094	2.7 (114)
1251	166	67.5 (51)	107	25.2 (49)	109	11.9 (57)	52	*	82	*	369	79.1 (86)	765	3.1 (123)
1252	134	76.9 (12)	115	40.0 (7)	99	*	64	*	77	*	387	84.5 (61)	727	0.8 (30)
1253	167	79.0 (10)	127	39.4 (10)	139	18.7 (14)	88	*	92	*	461	90.2 (23)	886	1.1 (55)
1350	725	68.1 (47)	444	28.2 (38)	514	12.5 (49)	241	16.2 (23)	308	7.1 (36)	1,297	93.1 (13)	2,819	0.7 (23)
1352	106	63.2 (68)	71	*	94	*	26	*	41	*	296	98.6 (4)	561	1.1 (55)
1401	64	*	33	*	35	*	20	*	28	*	144	81.3 (77)	299	5.0 (151)
1402	29	*	28	*	16	*	13	*	23	*	84	*	156	0.6 (19)
1403	7	*	3	*	1	*	2	*	3	*	18	*	31	*
1501	212	70.8 (38)	132	34.8 (18)	188	14.4 (37)	93	*	101	4.0 (50)	503	82.3 (73)	1,012	1.7 (78)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 40

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding ⁽⁶⁾						Exclusive Breastfeeding ⁽⁷⁾		≤ 2 Hours TV Viewing/Day ⁽⁸⁾		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1503	239	72.4 (30)	153	36.6 (14)	175	16.0 (26)	115	27.8 (1)	129	19.4 (1)	601	98.8 (3)
1504	539	73.1 (26)	351	41.6 (4)	391	16.9 (23)	208	20.7 (12)	261	9.6 (20)	1,183	90.9 (19)
1506	168	65.5 (59)	99	*	103	16.5 (24)	75	*	74	*	395	93.7 (11)
1507	160	70.0 (39)	99	*	103	15.5 (32)	68	*	70	*	69	*
1509	125	49.6 (98)	56	*	65	*	32	*	50	*	256	93.4 (12)
1511	169	68.0 (49)	113	31.0 (30)	138	15.9 (29)	78	*	92	*	433	89.6 (27)
1512	93	*	56	*	68	*	41	*	46	*	209	96.2 (6)
1514	204	75.0 (21)	104	46.2 (2)	137	21.2 (6)	59	*	78	*	467	98.9 (2)
1701	154	68.2 (46)	87	*	99	*	52	*	72	*	308	86.7 (45)
1950	185	76.8 (13)	110	30.0 (34)	101	20.8 (7)	48	*	85	*	295	86.1 (49)
1952	36	*	26	*	21	*	10	*	20	*	81	*
1953	62	*	35	*	48	*	25	*	28	*	172	91.3 (16)
1954	123	79.7 (7)	81	*	78	*	43	*	63	*	259	84.6 (59)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 41

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
1955	32	*	18	*	11	*	7	*	10	*	62	*	123	1.6 (74)
1957	110	88.2 (2)	52	*	56	*	28	*	44	*	254	90.6 (22)	500	1.0 (47)
1963	14	*	6	*	8	*	3	*	4	*	51	*	82	*
2150	166	68.7 (43)	137	41.6 (4)	135	14.8 (34)	83	*	103	12.6 (9)	310	84.2 (64)	687	1.7 (78)
2151	61	*	40	*	32	*	33	*	32	*	89	*	209	3.3 (128)
2152	15	*	9	*	12	*	5	*	6	*	34	*	72	*
2251	115	71.3 (36)	78	*	96	*	43	*	64	*	274	90.9 (19)	520	1.2 (63)
2252	39	*	36	*	32	*	23	*	33	*	159	88.1 (37)	255	4.3 (142)
2554	19	*	12	*	8	*	9	*	10	*	41	*	74	*
2555	2,033	50.8 (97)	1,234	21.8 (67)	1,365	10.0 (73)	650	11.2 (36)	901	5.9 (42)	4,245	81.7 (74)	8,705	1.9 (85)
2556	67	*	30	*	51	*	16	*	22	*	269	75.8 (96)	443	2.5 (108)
2557	0	*	0	*	0	*	0	*	0	*	8	*	8	*
2560	0	*	0	*	0	*	0	*	0	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 42

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
2561	0	*	0	*	1	*	0	*	0	*	1	*
2562	2	*	0	*	1	*	1	*	0	*	13	*
2563	3	*	1	*	5	*	1	*	1	*	29	*
2564	0	*	2	*	2	*	1	*	2	*	7	*
3001	320	48.4 (99)	205	19.5 (71)	197	10.7 (69)	152	9.9 (40)	185	2.7 (62)	792	72.9 (105)
3002	43	*	38	*	36	*	31	*	37	*	241	72.2 (106)
3004	83	*	53	*	39	*	46	*	45	*	141	81.6 (75)
3005	42	*	20	*	24	*	22	*	18	*	57	*
3007	4	*	2	*	4	*	1	*	1	*	13	*
3009	0	*	0	*	0	*	0	*	0	*	2	*
3201	113	75.2 (20)	70	*	68	*	50	*	62	*	240	84.6 (59)
3301	1,216	72.9 (28)	689	31.3 (27)	895	14.5 (35)	407	17.0 (21)	557	7.5 (31)	2,620	84.7 (57)
3304	26	*	20	*	18	*	12	*	13	*	76	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 43

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
3305	43	*	23	*	44	*	15	*	21	*	157	91.1 (17)
3306	77	*	47	*	68	*	23	*	41	*	209	89.5 (30)
3308	30	*	26	*	35	*	11	*	21	*	66	*
3312	136	66.2 (56)	61	*	78	*	40	*	48	*	340	83.2 (69)
3314	2	*	0	*	0	*	0	*	0	*	2	*
3550	20	*	15	*	18	*	4	*	12	*	57	*
3551	2	*	1	*	2	*	0	*	0	*	11	*
3701	245	79.6 (8)	186	39.2 (11)	206	17.0 (21)	129	26.4 (2)	153	16.3 (2)	501	88.8 (35)
3850	855	65.1 (61)	760	35.1 (16)	654	12.7 (46)	414	18.6 (15)	607	10.9 (15)	2,119	74.9 (100)
3901	474	67.1 (53)	296	33.1 (22)	254	13.0 (45)	233	24.0 (6)	253	9.5 (22)	848	67.9 (111)
3902	5	*	5	*	7	*	3	*	4	*	12	*
3903	2	*	2	*	2	*	1	*	2	*	6	*
3950	568	68.8 (42)	367	31.3 (27)	369	12.7 (46)	233	21.9 (10)	309	9.4 (23)	1,251	73.6 (104)
											2,631	1.1 (55)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 44

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
3954	0	*	2	*	1	*	0	*	2	*	4	*
4106	634	63.4 (67)	351	26.2 (43)	387	11.6 (62)	184	11.4 (34)	254	7.5 (31)	1,367	89.6 (27)
4107	841	70.0 (39)	396	31.1 (29)	483	15.3 (33)	257	21.0 (11)	314	9.2 (25)	1,395	77.8 (89)
4109	145	73.8 (24)	82	*	121	21.5 (4)	53	*	65	*	448	80.4 (81)
4112	173	31.2 (108)	113	27.4 (40)	120	10.8 (68)	80	*	103	2.9 (59)	358	99.2 (1)
4115	861	68.5 (45)	460	33.5 (20)	538	16.0 (26)	239	17.2 (20)	303	10.2 (18)	588	77.4 (91)
4351	136	76.5 (15)	79	*	156	18.6 (16)	44	*	65	*	352	96.0 (7)
4352	49	*	34	*	39	*	25	*	27	*	122	80.3 (82)
4353	135	76.3 (17)	82	*	128	18.0 (17)	44	*	71	*	348	89.1 (34)
4354	214	68.7 (43)	122	32.8 (24)	176	19.9 (9)	58	*	87	*	442	93.0 (15)
4355	72	*	59	*	66	*	41	*	54	*	234	95.7 (9)
4356	105	67.6 (50)	78	*	100	17.0 (21)	52	*	66	*	240	86.7 (45)
4359	169	71.0 (37)	99	*	135	19.3 (11)	55	*	79	*	457	87.3 (41)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 45

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding ⁽⁶⁾						Exclusive Breastfeeding ⁽⁷⁾		≤ 2 Hours TV Viewing/Day ⁽⁸⁾		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
4360	65	*	34	*	43	*	29	*	33	*	154	89.6 (27)
4361	80	*	44	*	62	*	32	*	42	*	155	85.2 (55)
4362	84	*	51	*	70	*	39	*	42	*	145	91.0 (18)
4363	209	79.4 (9)	149	34.9 (17)	178	19.7 (10)	92	*	129	11.6 (13)	474	87.8 (39)
4401	237	76.4 (16)	192	37.5 (12)	192	17.7 (18)	128	19.5 (13)	162	7.4 (34)	548	85.9 (50)
4501	219	76.3 (17)	148	32.4 (25)	170	16.5 (24)	80	*	129	7.8 (30)	594	89.4 (32)
4601	326	72.1 (32)	258	32.9 (23)	217	17.1 (19)	185	22.7 (8)	225	12.0 (10)	671	76.6 (94)
4701	303	65.7 (58)	209	36.8 (13)	222	14.4 (37)	126	19.0 (14)	161	13.0 (7)	853	83.2 (69)
5050	419	53.9 (92)	323	23.2 (62)	334	11.4 (63)	227	11.5 (32)	274	6.2 (41)	879	84.2 (64)
5051	722	58.4 (75)	586	26.8 (42)	553	12.5 (49)	401	12.2 (30)	493	5.7 (44)	1,475	76.9 (93)
5052	730	58.1 (77)	605	22.0 (66)	620	12.1 (52)	400	7.8 (44)	511	4.5 (47)	1,624	80.0 (83)
5055	379	54.1 (91)	203	24.6 (54)	336	7.1 (83)	91	*	153	2.0 (66)	1,211	93.1 (13)
5101	461	72.2 (31)	222	25.2 (49)	333	17.1 (19)	108	16.7 (22)	176	9.1 (26)	794	84.5 (61)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 46

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
5102	1	*	2	*	5	*	1	*	2	*	13	*
5202	193	72.0 (33)	107	29.0 (37)	153	24.8 (1)	34	*	67	*	464	97.6 (5)
5206	9	*	7	*	18	*	1	*	5	*	49	*
5601	302	71.9 (34)	187	31.0 (30)	149	23.5 (2)	122	25.4 (3)	165	10.9 (15)	662	86.9 (43)
5801	484	61.2 (70)	354	24.3 (58)	351	12.0 (53)	217	11.5 (32)	317	3.8 (52)	969	81.0 (79)
5803	8	*	6	*	15	*	6	*	5	*	68	*
5804	6	*	6	*	4	*	3	*	5	*	22	*
5806	26	*	23	*	20	*	11	*	20	*	16	*
6101	14	*	11	*	12	*	6	*	7	*	36	*
6102	18	*	10	*	19	*	7	*	8	*	75	*
6103	988	53.5 (93)	543	20.1 (69)	774	10.1 (72)	340	13.2 (28)	419	4.5 (47)	1,934	67.9 (111)
6105	2	*	3	*	3	*	0	*	3	*	16	*
6301	983	65.4 (60)	644	25.9 (44)	622	11.7 (60)	461	11.9 (31)	548	7.3 (35)	1,820	67.0 (116)
											3,993	0.5 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 47

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding ⁽⁶⁾						Exclusive Breastfeeding ⁽⁷⁾		≤ 2 Hours TV Viewing/Day ⁽⁸⁾		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
6312	500	74.0 (22)	332	39.5 (9)	347	18.7 (14)	210	22.9 (7)	267	13.9 (5)	1,207	75.3 (97)
6316	316	76.6 (14)	218	33.5 (20)	218	15.6 (31)	145	18.6 (15)	183	13.1 (6)	713	77.6 (90)
6318	0	*	1	*	2	*	2	*	1	*	8	*
6320	156	78.8 (11)	86	*	58	*	65	*	72	*	171	74.9 (100)
6325	82	*	45	*	49	*	34	*	38	*	170	82.9 (71)
6335	260	68.1 (47)	176	23.3 (61)	177	12.4 (51)	111	7.2 (45)	144	4.2 (49)	778	84.3 (63)
6345	27	*	24	*	14	*	15	*	20	*	64	*
6360	265	67.5 (51)	147	21.1 (68)	128	11.7 (60)	97	*	119	10.1 (19)	452	71.2 (108)
7306	622	63.5 (66)	376	24.5 (55)	328	11.9 (57)	264	10.2 (39)	319	5.6 (45)	1,377	78.4 (88)
7401	517	60.9 (73)	420	24.5 (55)	473	11.0 (66)	264	14.8 (27)	367	8.7 (27)	1,175	78.6 (87)
7601	149	55.0 (89)	120	25.8 (45)	96	*	90	*	105	11.4 (14)	289	65.7 (118)
7850	302	55.6 (86)	194	25.8 (45)	235	13.6 (43)	136	17.6 (18)	162	8.6 (28)	693	74.2 (103)
7852	3	*	4	*	6	*	1	*	3	*	8	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 48

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
8101	500	43.4 (104)	309	16.5 (76)	261	5.0 (88)	186	4.8 (50)	247	2.4 (63)	1,251	55.2 (123)
8102	229	56.8 (83)	82	*	92	*	53	*	65	*	330	60.9 (120)
8106	197	57.4 (79)	86	*	143	9.8 (75)	51	*	77	*	320	43.4 (131)
8150	3	*	0	*	1	*	1	*	0	*	10	*
8151	915	75.3 (19)	576	39.9 (8)	632	21.4 (5)	341	22.3 (9)	448	14.3 (3)	2,133	84.9 (56)
8152	3	*	2	*	9	*	0	*	2	*	12	*
8153	0	*	3	*	3	*	1	*	2	*	7	*
8155	2	*	1	*	3	*	2	*	1	*	25	*
8157	0	*	0	*	1	*	0	*	0	*	5	*
8201	601	64.1 (65)	577	25.6 (48)	628	11.0 (66)	350	18.6 (15)	503	6.8 (37)	1,672	80.0 (83)
8202	1,086	57.2 (81)	857	24.7 (52)	961	8.0 (80)	520	4.6 (52)	676	1.8 (68)	2,920	86.6 (47)
8203	75	*	73	*	82	*	42	*	58	*	263	71.1 (109)
8250	92	*	106	12.3 (81)	114	8.8 (76)	59	*	98	*	272	75.0 (99)
											597	0.8 (30)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 49

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
8252	47	*	25	*	40	*	23	*	25	*	98	*
8255	387	64.3 (63)	373	22.5 (64)	407	12.0 (53)	235	10.6 (38)	329	5.8 (43)	1,175	67.1 (114)
8257	411	66.2 (56)	452	35.8 (15)	431	18.8 (13)	332	4.2 (54)	400	2.8 (60)	1,473	89.9 (26)
8263	123	64.2 (64)	143	30.1 (32)	141	11.3 (64)	82	*	127	6.3 (40)	357	77.3 (92)
8264	160	73.1 (26)	170	32.4 (25)	158	12.7 (46)	113	15.9 (25)	146	7.5 (31)	432	74.3 (102)
8267	137	56.9 (82)	111	24.3 (58)	112	7.1 (83)	65	*	99	*	419	79.7 (85)
8901	242	56.6 (84)	151	19.9 (70)	117	10.3 (71)	88	*	126	2.4 (63)	547	48.6 (128)
8902	352	60.5 (74)	222	24.3 (58)	223	11.2 (65)	175	16.0 (24)	193	9.3 (24)	863	56.9 (121)
8903	375	52.8 (94)	247	14.6 (79)	242	5.8 (87)	176	6.3 (48)	216	1.9 (67)	808	49.8 (126)
8904	478	57.3 (80)	394	18.8 (74)	420	3.8 (89)	248	5.2 (49)	333	2.4 (63)	1,232	44.9 (130)
8905	729	52.3 (96)	349	25.8 (45)	314	14.0 (40)	213	11.3 (35)	252	5.2 (46)	1,078	66.8 (117)
8909	314	55.1 (88)	200	24.5 (55)	146	8.2 (79)	135	3.7 (55)	163	3.7 (53)	465	50.5 (125)
9045	448	37.9 (106)	206	18.4 (75)	256	16.0 (26)	114	7.0 (46)	184	6.5 (38)	994	67.7 (113)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 50

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
9050	275	52.4 (95)	174	19.5 (71)	226	8.8 (76)	119	1.7 (57)	141	0.7 (70)	530	62.3 (119)
9051	426	48.4 (99)	348	24.7 (52)	314	8.3 (78)	204	4.4 (53)	292	3.1 (56)	969	75.3 (97)
9053	458	58.3 (76)	228	27.2 (41)	208	12.0 (53)	183	9.3 (41)	201	6.5 (38)	620	51.1 (124)
9055	238	30.7 (109)	15	*	3	*	20	*	10	*	11	*
9058	309	55.3 (87)	219	22.8 (63)	214	10.7 (69)	178	6.7 (47)	191	3.1 (56)	689	85.3 (54)
9066	443	45.6 (103)	310	14.5 (80)	512	7.2 (82)	171	4.7 (51)	271	1.8 (68)	1,390	48.9 (127)
9068	253	46.6 (102)	184	14.7 (78)	193	7.8 (81)	120	8.3 (43)	177	4.0 (50)	563	68.9 (110)
9069	583	34.0 (107)	381	19.2 (73)	429	6.3 (86)	244	10.7 (37)	323	3.4 (55)	1,659	55.7 (122)
9070	549	54.5 (90)	263	22.1 (65)	243	9.9 (74)	201	2.0 (56)	234	3.0 (58)	892	48.1 (129)
9080	704	47.2 (101)	394	15.5 (77)	560	7.1 (83)	274	8.8 (42)	339	3.5 (54)	1,743	67.1 (114)
9082	41	*	23	*	24	*	20	*	19	*	72	*
9083	283	70.0 (39)	30	*	0	*	27	*	19	*	3	*
9084	235	40.4 (105)	24	*	10	*	18	*	17	*	47	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2021 Pediatric Nutrition Surveillance ⁽¹⁾

Page : 51

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic ⁽²⁾

Children Aged < 5 Years ⁽³⁾

Comparison of Breastfeeding, TV Viewing, and Smoking in Household ^(4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
9087	5	*	6	*	1	*	6	*	6	*	29	*	40	*
Michigan	41,962	62.8	27,188	28.3	29,504	13.2	17,062	15.7	22,240	7.7	90,952	77.9	187,913	1.6
National (Prior Year)	132,310	65.7	63,488	26.1	72,112	13.7	50,061	17.9	57,863	7.3	205,447	78.2	571,316	3.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* National includes previous year's data for all participating States and ITOs

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 52

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0101	91	*	*	224	7.6 (82)	1.8 (8)	13.4 (148)	105	20.0 (141)	16.2 (107)	149	15.4 (100)
0102	319	8.8 (34)	7.2 (78)	743	6.9 (62)	3.2 (56)	11.4 (100)	342	19.6 (139)	15.2 (93)	451	14.9 (93)
0103	322	7.5 (9)	8.1 (102)	808	8.2 (107)	2.1 (15)	13.2 (142)	363	18.5 (123)	14.0 (66)	499	7.6 (38)
0104	103	8.7 (28)	8.7 (118)	291	9.3 (149)	2.1 (15)	12.7 (130)	137	17.5 (108)	15.3 (95)	182	8.2 (43)
0105	64	*	*	158	10.8 (167)	3.2 (56)	6.3 (5)	43	*	*	93	*
0250	108	11.1 (87)	10.2 (139)	307	4.9 (11)	3.3 (64)	8.1 (14)	114	16.7 (88)	11.4 (23)	169	4.7 (14)
0251	80	*	*	225	6.2 (36)	3.1 (49)	13.8 (158)	89	*	*	118	9.3 (54)
0252	98	*	*	332	5.7 (23)	5.4 (139)	10.5 (74)	175	15.4 (52)	13.7 (61)	193	2.6 (6)
0253	114	9.6 (56)	10.5 (140)	306	7.8 (93)	4.2 (109)	12.7 (130)	121	17.4 (106)	19.8 (145)	150	4.7 (14)
0401	415	8.9 (38)	10.1 (137)	1,122	8.6 (124)	3.7 (86)	11.2 (95)	447	18.6 (124)	14.8 (85)	568	15.0 (95)
0402	320	10.6 (75)	7.8 (95)	839	7.0 (64)	4.9 (129)	12.8 (134)	338	20.4 (142)	17.5 (130)	358	20.1 (130)
0403	130	13.1 (114)	7.7 (93)	319	8.5 (119)	6.9 (161)	11.0 (89)	120	9.2 (1)	17.5 (130)	160	15.0 (95)
0404	92	*	*	247	4.9 (11)	6.1 (153)	13.0 (137)	104	13.5 (21)	20.2 (147)	139	20.9 (132)
0501	364	9.6 (56)	8.5 (114)	1,434	5.9 (31)	7.7 (169)	12.3 (124)	632	20.4 (142)	16.8 (119)	809	11.5 (73)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 53

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0503	78	*	*	304	5.9 (31)	5.6 (145)	9.2 (32)	124	19.4 (136)	10.5 (13)	166	5.4 (20)
0504	356	9.0 (42)	6.5 (62)	1,290	7.4 (81)	4.2 (109)	9.1 (30)	561	18.2 (119)	11.6 (27)	765	6.9 (33)
0505	207	11.6 (97)	7.2 (78)	701	9.4 (152)	4.6 (120)	11.0 (89)	274	17.2 (101)	17.9 (136)	417	11.3 (68)
0506	131	9.9 (63)	6.1 (54)	535	7.1 (71)	6.4 (155)	12.3 (124)	264	18.6 (124)	15.2 (93)	328	8.5 (48)
0507	74	*	*	498	6.8 (57)	2.2 (17)	13.5 (150)	272	15.8 (63)	17.6 (132)	336	5.4 (20)
0508	18	*	*	161	8.1 (102)	2.5 (25)	18.6 (175)	94	*	*	113	2.7 (9)
0509	0	*	*	8	*	*	*	6	*	*	7	*
0650	934	10.7 (77)	8.5 (114)	2,445	8.2 (107)	4.0 (97)	11.9 (118)	916	16.5 (81)	20.0 (146)	1,147	6.5 (29)
0651	517	7.9 (15)	5.6 (44)	1,469	8.7 (127)	4.6 (120)	10.6 (76)	621	19.0 (131)	15.1 (91)	737	6.2 (26)
0652	285	9.8 (60)	8.4 (112)	766	8.4 (115)	3.3 (64)	10.8 (81)	330	14.5 (38)	16.1 (103)	403	9.7 (55)
0653	347	8.9 (38)	7.8 (95)	1,257	8.5 (119)	3.5 (75)	11.6 (108)	608	16.8 (90)	15.5 (98)	754	10.6 (63)
0654	318	11.3 (92)	7.5 (87)	696	8.5 (119)	4.0 (97)	10.8 (81)	299	15.4 (52)	16.1 (103)	382	13.9 (89)
0655	273	4.0 (1)	7.0 (70)	726	6.2 (36)	4.0 (97)	9.6 (40)	297	13.8 (23)	12.5 (39)	367	9.0 (51)
0657	59	*	*	171	7.6 (82)	7.0 (163)	8.8 (26)	77	*	*	104	13.5 (87)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 54

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
0701	372	5.9 (3)	10.5 (140)	701	8.8 (131)	1.9 (9)	9.6 (40)	345	16.8 (90)	9.3 (6)	483	5.2 (17)
0702	70	*	*	128	9.4 (152)	2.3 (19)	7.8 (11)	64	*	*	65	*
0703	132	9.8 (60)	6.8 (66)	396	3.5 (3)	4.0 (97)	15.9 (171)	199	16.6 (84)	21.1 (149)	250	5.6 (22)
0704	43	*	*	100	3.0 (1)	5.0 (131)	10.0 (51)	46	*	*	68	*
0705	60	*	*	176	9.1 (141)	2.8 (34)	15.3 (169)	93	*	*	113	4.4 (11)
0706	29	*	*	68	*	*	*	19	*	*	34	*
0850	625	11.7 (99)	8.2 (106)	1,997	8.1 (102)	3.6 (79)	11.9 (118)	847	21.0 (147)	16.4 (111)	913	6.0 (24)
0851	547	10.4 (71)	8.0 (99)	1,655	6.3 (43)	3.1 (49)	9.8 (46)	706	16.9 (94)	13.5 (57)	824	4.6 (12)
0901	1,356	11.1 (87)	8.2 (106)	3,424	7.3 (75)	2.0 (11)	11.8 (115)	1,425	18.3 (120)	16.4 (111)	1,972	9.8 (58)
0902	28	*	*	125	6.4 (47)	2.4 (24)	8.0 (13)	63	*	*	76	*
1051	1,039	9.6 (56)	11.8 (144)	2,555	4.2 (6)	6.6 (157)	10.0 (51)	1,061	19.1 (133)	13.3 (53)	1,214	18.7 (126)
1052	12	*	*	3	*	*	*	0	*	*	0	*
1101	1,490	10.7 (77)	4.8 (29)	4,344	7.0 (64)	4.5 (116)	10.0 (51)	1,803	16.6 (84)	13.1 (48)	2,496	11.9 (76)
1102	676	7.8 (14)	5.6 (44)	1,959	6.4 (47)	3.3 (64)	11.3 (98)	808	16.3 (73)	16.6 (115)	1,130	6.6 (30)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 55

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
1104	3	*	*	3	*	*	*	0	*	*	0	*
1106	64	*	*	187	4.8 (10)	4.8 (127)	9.1 (30)	77	*	*	111	6.3 (28)
1250	901	9.2 (47)	8.3 (110)	2,031	9.5 (155)	5.0 (131)	9.7 (42)	728	15.2 (51)	12.4 (37)	928	15.1 (97)
1251	594	9.4 (53)	7.2 (78)	1,395	8.0 (97)	1.4 (4)	13.1 (140)	593	15.0 (47)	16.4 (111)	839	11.9 (76)
1252	459	9.4 (53)	9.2 (125)	1,280	8.8 (131)	2.8 (34)	11.1 (93)	513	19.3 (134)	17.3 (127)	702	13.2 (86)
1253	617	6.0 (4)	8.8 (119)	1,704	9.2 (146)	4.0 (97)	12.1 (121)	704	16.6 (84)	14.9 (86)	894	11.3 (68)
1350	2,061	11.0 (85)	6.4 (61)	5,355	7.7 (89)	5.5 (142)	11.7 (114)	1,892	16.9 (94)	16.9 (125)	2,455	16.3 (110)
1351	55	*	*	270	8.5 (119)	2.6 (29)	15.6 (170)	123	22.8 (151)	18.7 (139)	163	12.9 (83)
1352	346	10.7 (77)	8.1 (102)	946	7.0 (64)	5.8 (147)	13.6 (152)	365	14.5 (38)	19.2 (143)	456	12.9 (83)
1401	202	7.9 (15)	9.9 (134)	545	7.3 (75)	5.9 (150)	11.6 (108)	213	17.4 (106)	17.8 (135)	296	8.8 (50)
1402	100	10.0 (64)	7.0 (70)	346	4.3 (7)	2.9 (39)	14.2 (160)	159	22.6 (150)	17.6 (132)	198	8.1 (42)
1403	16	*	*	81	*	*	*	46	*	*	49	*
1501	669	9.1 (45)	8.1 (102)	2,399	6.4 (47)	3.7 (86)	13.5 (150)	1,069	15.8 (63)	16.7 (117)	1,496	8.0 (40)
1503	794	8.3 (22)	8.9 (122)	2,859	5.0 (14)	3.2 (56)	11.6 (108)	1,272	14.9 (44)	16.1 (103)	1,737	15.4 (100)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 56

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
1504	1,505	8.4 (25)	7.4 (84)	5,075	4.9 (11)	3.2 (56)	11.4 (100)	2,203	16.4 (77)	14.4 (72)	3,193	27.2 (146)
1505	253	9.5 (55)	11.1 (143)	909	5.7 (23)	2.6 (29)	10.1 (61)	445	12.8 (12)	12.4 (37)	539	25.8 (141)
1506	519	8.7 (28)	8.9 (122)	1,894	5.8 (27)	3.0 (45)	13.2 (142)	829	16.3 (73)	17.0 (126)	1,063	14.9 (93)
1507	480	10.0 (64)	10.0 (135)	1,565	5.9 (31)	3.8 (93)	7.4 (9)	664	14.3 (36)	8.7 (3)	971	34.0 (153)
1508	9	*	*	59	*	*	*	33	*	*	43	*
1509	344	7.6 (12)	9.6 (131)	1,223	6.8 (57)	4.1 (104)	12.3 (124)	558	18.6 (124)	16.8 (119)	782	10.4 (61)
1511	525	11.2 (90)	7.6 (92)	2,008	5.4 (18)	3.4 (72)	10.4 (70)	864	13.3 (17)	13.9 (63)	1,263	20.4 (131)
1512	293	10.2 (68)	7.5 (87)	1,209	7.0 (64)	4.7 (124)	11.6 (108)	531	14.1 (30)	14.9 (86)	719	22.5 (135)
1514	388	12.6 (105)	8.8 (119)	1,199	7.0 (64)	3.8 (93)	10.3 (67)	563	15.5 (54)	12.8 (43)	681	30.7 (152)
1701	480	7.3 (8)	12.9 (145)	1,319	8.9 (137)	4.3 (113)	16.0 (172)	596	16.4 (77)	17.6 (132)	595	15.1 (97)
1950	539	12.2 (102)	7.4 (84)	1,241	8.6 (124)	4.2 (109)	10.0 (51)	475	15.6 (57)	14.9 (86)	651	3.2 (10)
1952	119	6.7 (5)	9.2 (125)	300	10.7 (165)	2.0 (11)	7.3 (8)	106	18.9 (130)	6.6 (1)	156	0.6 (1)
1953	226	9.7 (59)	6.2 (57)	727	8.4 (115)	3.3 (64)	11.3 (98)	294	13.9 (27)	13.6 (59)	388	2.6 (6)
1954	398	7.5 (9)	8.0 (99)	1,031	7.9 (95)	3.5 (75)	11.4 (100)	394	14.2 (32)	16.8 (119)	536	1.5 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 57

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature		Under-Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
1955	95	*	*	289	6.6 (53)	5.9 (150)	14.9 (166)	124	19.4 (136)	23.4 (152)	165	1.2 (2)
1957	349	12.9 (110)	10.9 (142)	1,026	9.1 (141)	3.9 (96)	14.5 (163)	432	20.6 (146)	14.4 (72)	555	1.6 (4)
1963	64	*	*	214	4.7 (9)	2.8 (34)	14.0 (159)	94	*	*	123	2.4 (5)
1964	7	*	*	79	*	*	*	35	*	*	60	*
2150	547	8.2 (21)	6.9 (68)	1,682	10.0 (158)	1.7 (7)	12.6 (129)	699	16.9 (94)	14.3 (71)	1,010	8.3 (45)
2151	186	7.5 (9)	7.5 (87)	513	8.4 (115)	3.7 (86)	13.1 (140)	193	18.7 (128)	16.1 (103)	291	10.7 (64)
2152	22	*	*	53	*	*	*	24	*	*	27	*
2251	343	9.0 (42)	8.5 (114)	891	6.5 (51)	3.3 (64)	11.4 (100)	391	15.1 (49)	16.6 (115)	474	15.6 (103)
2252	149	10.7 (77)	10.1 (137)	387	6.2 (36)	3.1 (49)	12.7 (130)	185	21.6 (148)	16.8 (119)	235	9.8 (58)
2554	48	*	*	231	6.9 (62)	2.2 (17)	10.0 (51)	132	15.9 (67)	11.4 (23)	147	6.8 (32)
2555	6,416	12.6 (105)	5.1 (32)	13,457	9.1 (141)	2.9 (39)	11.5 (105)	5,475	15.7 (60)	12.7 (41)	7,425	19.3 (127)
2556	375	17.6 (142)	2.7 (4)	1,264	11.9 (170)	2.8 (34)	12.5 (128)	576	11.3 (3)	13.9 (63)	693	26.1 (143)
2557	3	*	*	24	*	*	*	16	*	*	20	*
2558	2	*	*	17	*	*	*	12	*	*	10	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 58

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
2559	0	*	*	7	*	*	*	6	*	*	7	*
2560	2	*	*	20	*	*	*	16	*	*	11	*
2561	1	*	*	5	*	*	*	4	*	*	3	*
2562	10	*	*	91	*	*	*	58	*	*	59	*
2563	35	*	*	100	11.0 (168)	2.0 (11)	16.0 (172)	39	*	*	58	*
2564	15	*	*	20	*	*	*	4	*	*	6	*
2565	0	*	*	3	*	*	*	3	*	*	3	*
3001	1,033	15.2 (130)	3.3 (11)	2,485	5.8 (27)	5.8 (147)	9.5 (38)	895	16.1 (70)	12.2 (34)	1,226	8.0 (40)
3002	222	9.0 (42)	4.5 (23)	682	5.9 (31)	4.5 (116)	10.6 (76)	278	15.5 (54)	14.7 (80)	362	7.2 (36)
3004	206	12.6 (105)	5.3 (36)	467	4.1 (5)	7.5 (166)	9.2 (32)	144	13.2 (15)	18.8 (141)	196	2.6 (6)
3005	99	*	*	177	7.3 (75)	10.2 (173)	6.8 (6)	51	*	*	62	*
3007	12	*	*	40	*	*	*	17	*	*	26	*
3009	0	*	*	1	*	*	*	0	*	*	0	*
3201	382	8.9 (38)	9.4 (128)	1,103	8.3 (111)	3.4 (72)	11.6 (108)	468	16.5 (81)	12.2 (34)	671	4.6 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 59

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
3301	3,641	11.4 (94)	5.7 (46)	8,657	8.5 (119)	5.7 (146)	10.7 (79)	3,021	17.5 (108)	14.9 (86)	3,849	10.7 (64)
3304	84	*	*	290	5.9 (31)	7.6 (167)	5.5 (3)	137	11.7 (5)	8.0 (2)	153	9.2 (53)
3305	149	8.7 (28)	9.4 (128)	513	7.6 (82)	2.9 (39)	9.7 (42)	225	14.2 (32)	11.1 (19)	266	8.3 (45)
3306	237	5.1 (2)	5.5 (41)	746	8.0 (97)	3.2 (56)	8.4 (19)	308	14.9 (44)	10.7 (14)	381	8.4 (47)
3308	88	*	*	250	7.6 (82)	4.8 (127)	8.8 (26)	89	*	*	124	10.5 (62)
3309	3	*	*	13	*	*	*	8	*	*	10	*
3312	384	10.9 (84)	7.8 (95)	1,084	8.0 (97)	4.2 (109)	10.3 (67)	476	13.4 (19)	13.2 (50)	527	11.6 (75)
3314	4	*	*	4	*	*	*	0	*	*	0	*
3550	55	*	*	139	4.3 (7)	3.6 (79)	13.7 (155)	54	*	*	72	*
3551	13	*	*	34	*	*	*	15	*	*	17	*
3552	16	*	*	80	*	*	*	40	*	*	51	*
3701	828	7.9 (15)	9.3 (127)	2,493	5.3 (15)	5.4 (139)	10.2 (63)	993	17.9 (115)	14.5 (78)	1,404	5.0 (16)
3850	2,625	11.2 (90)	7.7 (93)	7,424	5.7 (23)	9.1 (172)	10.2 (63)	2,823	18.1 (118)	16.8 (119)	3,441	15.7 (104)
3901	1,340	12.8 (109)	4.2 (21)	3,156	5.5 (20)	5.8 (147)	9.4 (36)	1,065	17.2 (101)	13.5 (57)	1,573	24.1 (138)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 60

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under-Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
3902	72	*	*	165	6.7 (55)	5.5 (142)	13.3 (145)	58	*	*	73	*
3903	26	*	*	96	*	*	*	45	*	*	64	*
3904	4	*	*	22	*	*	*	12	*	*	14	*
3905	6	*	*	44	*	*	*	20	*	*	29	*
3950	1,896	11.5 (95)	8.2 (106)	5,034	6.3 (43)	5.2 (136)	10.1 (61)	1,835	16.7 (88)	14.7 (80)	2,570	28.3 (149)
3954	17	*	*	67	*	*	*	27	*	*	46	*
4106	1,870	13.7 (120)	4.6 (24)	5,966	10.4 (162)	1.9 (9)	14.9 (166)	2,739	17.9 (115)	18.1 (138)	3,808	9.1 (52)
4107	2,451	15.0 (129)	6.0 (50)	7,050	10.0 (158)	3.6 (79)	10.0 (51)	2,921	15.0 (47)	11.8 (29)	4,282	16.5 (112)
4109	664	10.7 (77)	6.0 (50)	2,530	9.8 (156)	3.1 (49)	9.8 (46)	1,125	14.8 (42)	11.7 (28)	1,507	6.6 (30)
4110	10	*	*	1	*	*	*	0	*	*	0	*
4112	484	7.0 (6)	5.4 (39)	1,806	5.3 (15)	3.7 (86)	13.7 (155)	756	18.4 (121)	19.6 (144)	631	5.9 (23)
4115	2,953	14.4 (124)	5.8 (49)	8,617	9.1 (141)	2.5 (25)	12.0 (120)	3,872	14.7 (40)	13.6 (59)	5,528	12.1 (79)
4351	448	10.3 (70)	7.4 (84)	1,271	8.3 (111)	2.9 (39)	11.6 (108)	540	14.8 (42)	13.1 (48)	652	9.7 (55)
4352	144	10.4 (71)	6.9 (68)	383	7.6 (82)	3.4 (72)	8.9 (28)	177	15.8 (63)	10.2 (11)	200	11.5 (73)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 61

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
4353	365	9.3 (48)	6.8 (66)	952	6.2 (36)	3.5 (75)	12.1 (121)	431	17.9 (115)	17.9 (136)	534	7.7 (39)
4354	639	8.0 (19)	8.0 (99)	1,651	8.7 (127)	3.2 (56)	12.7 (130)	712	17.6 (111)	16.7 (117)	870	6.2 (26)
4355	246	13.4 (118)	8.1 (102)	613	7.2 (73)	3.6 (79)	11.1 (93)	281	17.1 (99)	14.6 (79)	380	16.1 (108)
4356	361	8.6 (26)	7.5 (87)	944	6.3 (43)	3.7 (86)	10.0 (51)	430	14.7 (40)	13.0 (46)	500	11.4 (71)
4358	39	*	*	260	10.4 (162)	1.5 (5)	14.2 (160)	143	25.2 (152)	16.8 (119)	191	26.7 (144)
4359	507	7.1 (7)	8.3 (110)	1,248	7.9 (95)	2.5 (25)	13.2 (142)	542	20.5 (145)	20.5 (148)	616	12.7 (82)
4360	174	8.6 (26)	8.6 (117)	423	5.4 (18)	1.2 (1)	13.0 (137)	202	17.3 (104)	14.4 (72)	268	10.8 (66)
4361	228	7.9 (15)	9.6 (131)	519	6.7 (55)	1.3 (2)	13.7 (155)	230	17.8 (114)	18.7 (139)	338	17.8 (118)
4362	261	10.7 (77)	8.4 (112)	616	8.9 (137)	2.6 (29)	11.5 (105)	288	17.7 (112)	13.2 (50)	386	12.2 (80)
4363	676	8.7 (28)	9.5 (130)	1,513	7.7 (89)	1.6 (6)	11.0 (89)	697	20.4 (142)	12.8 (43)	936	13.1 (85)
4401	796	9.3 (48)	7.8 (95)	2,117	5.8 (27)	3.1 (49)	9.4 (36)	888	16.3 (73)	14.2 (68)	1,219	15.1 (97)
4501	744	8.3 (22)	8.2 (106)	2,431	7.3 (75)	4.5 (116)	10.9 (84)	1,033	17.5 (108)	15.7 (100)	1,237	8.2 (43)
4601	1,102	8.1 (20)	7.3 (82)	2,453	8.8 (131)	3.0 (45)	13.3 (145)	1,059	16.8 (90)	16.3 (109)	1,354	28.1 (147)
4701	934	12.5 (104)	7.1 (74)	2,102	8.3 (111)	2.3 (19)	8.9 (28)	963	16.4 (77)	12.1 (33)	1,384	7.5 (37)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 62

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
5050	1,339	13.2 (117)	5.7 (46)	2,581	7.6 (82)	2.5 (25)	11.5 (105)	981	15.7 (60)	11.1 (19)	1,392	11.4 (71)
5051	2,323	11.8 (100)	5.5 (41)	4,421	8.1 (102)	3.8 (93)	9.7 (42)	1,581	15.1 (49)	11.8 (29)	2,136	12.0 (78)
5052	2,394	12.9 (110)	4.8 (29)	4,716	8.0 (97)	3.6 (79)	10.9 (84)	1,809	13.2 (15)	13.3 (53)	2,527	8.5 (48)
5055	1,062	8.8 (34)	5.3 (36)	2,689	4.0 (4)	3.0 (45)	13.6 (152)	1,449	14.3 (36)	16.2 (107)	1,727	16.0 (107)
5101	1,434	10.6 (75)	6.0 (50)	3,662	6.6 (53)	4.6 (120)	10.8 (81)	1,418	16.6 (84)	14.4 (72)	1,839	16.7 (114)
5102	24	*	*	79	*	*	*	35	*	*	46	*
5202	618	7.6 (12)	9.7 (133)	1,883	9.4 (152)	4.0 (97)	13.0 (137)	751	18.4 (121)	15.7 (100)	713	5.3 (18)
5206	15	*	*	33	*	*	*	10	*	*	4	*
5601	863	8.8 (34)	10.0 (135)	2,404	10.1 (160)	2.7 (33)	13.6 (152)	946	17.3 (104)	15.4 (97)	1,096	14.8 (91)
5801	1,438	10.4 (71)	7.0 (70)	3,403	8.8 (131)	5.1 (135)	10.4 (70)	1,287	17.7 (112)	14.7 (80)	1,695	15.5 (102)
5803	77	*	*	352	5.7 (23)	2.0 (11)	12.2 (123)	177	13.0 (13)	14.7 (80)	225	5.3 (18)
5804	19	*	*	64	*	*	*	37	*	*	37	*
5806	175	13.1 (114)	5.7 (46)	271	14.8 (175)	6.6 (157)	8.1 (14)	34	*	*	91	*
6101	40	*	*	114	14.0 (173)	2.6 (29)	16.7 (174)	46	*	*	62	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 63

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
6102	93	*	*	350	7.7 (89)	2.3 (19)	11.4 (100)	155	14.2 (32)	11.0 (16)	187	11.2 (67)
6103	3,127	11.1 (87)	5.4 (39)	7,648	8.4 (115)	4.4 (115)	11.8 (115)	2,805	16.3 (73)	14.7 (80)	3,668	15.8 (105)
6105	13	*	*	71	*	*	*	37	*	*	50	*
6106	85	*	*	209	6.2 (36)	5.3 (138)	11.0 (89)	59	*	*	100	20.0 (129)
6301	3,008	13.8 (121)	6.2 (57)	6,705	9.3 (149)	2.9 (39)	10.6 (76)	2,587	16.0 (68)	13.8 (62)	3,561	17.7 (116)
6312	1,540	12.6 (105)	6.1 (54)	4,036	9.2 (146)	4.0 (97)	8.4 (19)	1,740	15.6 (57)	11.0 (16)	2,238	18.3 (122)
6316	1,014	10.5 (74)	6.6 (64)	2,617	6.5 (51)	3.7 (86)	10.0 (51)	1,077	16.4 (77)	13.9 (63)	1,356	14.5 (90)
6318	82	*	*	71	*	*	*	3	*	*	2	*
6320	285	10.2 (68)	6.7 (65)	604	8.8 (131)	8.3 (170)	7.6 (10)	202	13.9 (27)	10.9 (15)	183	14.8 (91)
6325	252	8.7 (28)	9.1 (124)	727	6.2 (36)	3.3 (64)	9.8 (46)	283	19.4 (136)	11.0 (16)	294	26.9 (145)
6335	853	10.7 (77)	5.5 (41)	2,856	7.2 (73)	6.0 (152)	11.2 (95)	1,166	13.7 (22)	13.3 (53)	1,307	25.9 (142)
6340	11	*	*	58	*	*	*	30	*	*	40	*
6345	73	*	*	194	8.2 (107)	3.6 (79)	12.4 (127)	67	*	*	54	*
6360	788	14.5 (125)	4.6 (24)	2,166	9.2 (146)	7.0 (163)	10.9 (84)	850	15.5 (54)	14.2 (68)	936	30.4 (151)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 64

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
7304	0	*	*	2	*	*	*	1	*	*	1	*
7306	1,979	13.1 (114)	5.3 (36)	5,067	5.5 (20)	5.4 (139)	9.5 (38)	1,728	17.2 (101)	14.2 (68)	2,499	16.2 (109)
7308	0	*	*	2	*	*	*	2	*	*	2	*
7310	0	*	*	3	*	*	*	2	*	*	1	*
7401	1,822	8.7 (28)	7.2 (78)	4,885	8.0 (97)	5.2 (136)	10.7 (79)	1,803	19.0 (131)	16.3 (109)	2,357	9.7 (55)
7601	482	9.3 (48)	6.2 (57)	1,109	13.5 (172)	1.3 (2)	15.0 (168)	495	18.6 (124)	21.2 (150)	681	13.7 (88)
7850	944	9.1 (45)	7.5 (87)	2,294	5.8 (27)	4.1 (104)	10.3 (67)	975	18.8 (129)	15.8 (102)	1,324	7.1 (35)
7852	18	*	*	56	*	*	*	33	*	*	29	*
8101	1,458	18.9 (145)	2.2 (2)	3,838	10.5 (164)	7.6 (167)	10.2 (63)	1,379	14.1 (30)	12.5 (39)	1,939	38.2 (160)
8102	459	9.8 (60)	6.5 (62)	1,104	6.3 (43)	6.9 (161)	14.8 (164)	494	16.0 (68)	23.3 (151)	585	28.4 (150)
8105	525	11.6 (97)	5.1 (32)	2,348	7.0 (64)	3.1 (49)	12.9 (136)	1,037	16.2 (71)	15.1 (91)	1,405	23.6 (136)
8106	478	14.0 (122)	4.6 (24)	883	9.3 (149)	4.9 (129)	10.9 (84)	347	15.6 (57)	15.3 (95)	461	17.8 (118)
8150	11	*	*	83	*	*	*	53	*	*	55	*
8151	2,729	13.0 (112)	5.1 (32)	6,304	7.3 (75)	4.6 (120)	9.3 (34)	2,510	16.5 (81)	12.7 (41)	3,303	19.3 (127)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 65

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
8152	27	*	*	73	*	*	*	35	*	*	54	*
8153	8	*	*	25	*	*	*	10	*	*	17	*
8155	10	*	*	78	*	*	*	56	*	*	58	*
8157	5	*	*	27	*	*	*	18	*	*	19	*
8201	2,132	13.5 (119)	6.2 (57)	4,080	8.7 (127)	4.3 (113)	11.2 (95)	1,594	16.8 (90)	13.2 (50)	1,944	24.3 (139)
8202	3,162	8.9 (38)	5.1 (32)	7,041	5.3 (15)	3.5 (75)	8.7 (25)	3,397	13.4 (19)	9.9 (8)	4,611	17.8 (118)
8203	300	11.0 (85)	7.0 (70)	751	5.5 (20)	2.9 (39)	9.3 (34)	351	19.7 (140)	12.3 (36)	420	10.0 (60)
8250	485	13.0 (112)	4.9 (31)	1,028	9.8 (156)	4.1 (104)	10.4 (70)	398	13.8 (23)	14.1 (67)	508	17.7 (116)
8252	107	12.1 (101)	1.9 (1)	270	10.7 (165)	3.7 (86)	8.5 (23)	114	21.9 (149)	8.8 (5)	158	18.4 (124)
8255	1,751	11.3 (92)	6.0 (50)	4,021	8.1 (102)	3.2 (56)	9.9 (50)	1,463	14.9 (44)	15.0 (90)	1,973	17.4 (115)
8257	1,381	15.5 (133)	2.6 (3)	3,692	7.0 (64)	4.7 (124)	11.8 (115)	1,682	11.5 (4)	14.4 (72)	2,279	22.0 (134)
8263	509	10.0 (64)	7.1 (74)	1,294	7.7 (89)	2.3 (19)	10.0 (51)	553	19.3 (134)	12.8 (43)	672	6.1 (25)
8264	587	8.3 (22)	7.3 (82)	1,210	8.1 (102)	3.3 (64)	10.2 (63)	487	16.2 (71)	11.9 (32)	640	6.9 (33)
8267	513	8.8 (34)	8.8 (119)	1,180	9.0 (139)	2.8 (34)	13.4 (148)	438	14.2 (32)	15.5 (98)	645	12.2 (80)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 66

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- Weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
8901	714	16.0 (134)	4.6 (24)	2,100	8.7 (127)	6.8 (160)	10.0 (51)	802	13.8 (23)	11.8 (29)	1,166	35.8 (156)
8902	1,007	16.2 (135)	2.8 (6)	2,537	7.3 (75)	6.6 (157)	9.7 (42)	987	13.9 (27)	11.1 (19)	1,450	35.6 (154)
8903	1,152	16.4 (136)	3.7 (17)	2,567	8.8 (131)	6.3 (154)	10.4 (70)	979	12.0 (8)	13.0 (46)	1,392	35.6 (154)
8904	1,507	17.2 (141)	3.6 (15)	4,552	9.1 (141)	7.2 (165)	10.5 (74)	1,654	12.5 (10)	13.3 (53)	2,267	37.7 (159)
8905	1,537	12.2 (102)	6.1 (54)	3,244	7.1 (71)	6.4 (155)	12.8 (134)	1,312	15.7 (60)	17.3 (127)	1,772	28.2 (148)
8909	665	17.1 (140)	3.6 (15)	1,420	11.1 (169)	9.0 (171)	10.9 (84)	427	11.7 (5)	16.4 (111)	581	37.5 (158)
9045	1,455	11.5 (95)	7.1 (74)	3,469	8.3 (111)	4.1 (104)	14.2 (160)	1,419	17.1 (99)	17.3 (127)	2,049	15.8 (105)
9050	856	15.2 (130)	4.6 (24)	1,857	7.8 (93)	3.2 (56)	9.8 (46)	776	11.2 (2)	14.4 (72)	1,032	36.6 (157)
9051	1,363	9.3 (48)	7.1 (74)	2,870	6.4 (47)	3.0 (45)	14.8 (164)	1,181	17.0 (97)	19.1 (142)	1,410	25.2 (140)
9053	1,168	16.9 (139)	3.2 (10)	1,972	10.1 (160)	5.0 (131)	8.2 (17)	601	17.0 (97)	11.3 (22)	673	16.5 (112)
9055	679	9.3 (48)	4.3 (22)	604	12.4 (171)	2.3 (19)	6.0 (4)	1	*	*	0	*
9058	876	14.8 (128)	2.7 (4)	1,815	6.8 (57)	5.5 (142)	7.8 (11)	802	12.6 (11)	9.5 (7)	1,045	16.3 (110)
9066	1,153	16.5 (137)	2.9 (8)	1,840	9.0 (139)	4.5 (116)	8.4 (19)	757	12.0 (8)	10.4 (12)	1,006	18.5 (125)
9068	817	17.6 (142)	3.7 (17)	1,953	6.2 (36)	3.6 (79)	8.4 (19)	720	13.1 (14)	11.4 (23)	990	11.3 (68)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 6A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 67

Michigan

Comparison of Growth and Anemia Indicators by Clinic

Children Aged < 5 Years (2)

Combined 3 Years

Comparison of Growth and Anemia Indicators (3,4)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birth Weight (5)			Height and Weight (6,7)							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature		Under- Weight	Obese	≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
9069	2,220	16.8 (138)	3.4 (13)	5,074	6.8 (57)	5.0 (131)	8.5 (23)	1,988	13.8 (23)	10.0 (9)	2,758	18.0 (121)
9070	1,424	14.6 (126)	3.4 (13)	2,944	8.2 (107)	4.1 (104)	7.2 (7)	1,049	11.8 (7)	8.7 (3)	1,432	21.0 (133)
9072	764	15.3 (132)	3.8 (19)	2,217	7.6 (82)	3.3 (64)	8.2 (17)	941	13.3 (17)	10.1 (10)	1,315	23.8 (137)
9080	2,223	14.2 (123)	4.1 (20)	4,681	6.8 (57)	4.7 (124)	8.1 (14)	1,943	15.8 (63)	11.5 (26)	2,584	18.3 (122)
9082	109	10.1 (67)	2.8 (6)	226	14.2 (174)	3.1 (49)	13.3 (145)	65	*	*	87	*
9083	1,307	18.8 (144)	3.1 (9)	1,118	3.1 (2)	12.3 (174)	2.8 (1)	1	*	*	2	*
9084	898	14.6 (126)	3.3 (11)	816	8.6 (124)	13.4 (175)	4.3 (2)	2	*	*	2	*
9087	6	*	*	43	*	*	*	29	*	*	25	*
Michigan	132,727	11.9	6.1	334,041	7.7	4.3	10.9	134,874	16.0	15.3	178,305	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 68

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
0101	91	*	62	*	73	*	47	*	54	*	224	84.8 (81)
0102	320	61.9 (103)	211	28.4 (87)	229	12.7 (76)	122	17.2 (66)	174	8.6 (76)	743	86.3 (72)
0103	322	66.8 (90)	217	29.5 (82)	235	10.2 (103)	138	23.9 (35)	188	9.0 (71)	762	86.4 (68)
0104	104	71.2 (65)	77	*	74	*	60	*	68	*	265	90.2 (28)
0105	64	*	40	*	57	*	30	*	34	*	69	*
0250	108	76.9 (32)	87	*	97	*	59	*	71	*	257	88.7 (42)
0251	80	*	73	*	55	*	54	*	65	*	200	84.5 (87)
0252	97	*	59	*	81	*	28	*	54	*	347	76.1 (135)
0253	114	76.3 (38)	95	*	83	*	58	*	79	*	245	80.8 (114)
0401	416	70.2 (71)	292	33.2 (58)	340	10.6 (100)	181	17.1 (67)	241	7.9 (85)	948	85.9 (73)
0402	321	74.5 (50)	216	38.0 (25)	245	15.9 (46)	148	31.8 (13)	185	18.4 (12)	662	86.9 (63)
0403	130	72.3 (60)	92	*	96	*	60	*	82	*	244	86.9 (63)
0404	92	*	83	*	82	*	50	*	71	*	225	88.4 (46)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 69

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
0501	411	74.0 (52)	276	41.3 (16)	241	19.1 (23)	171	31.0 (15)	239	20.5 (7)	880	87.3 (59)
0503	84	*	63	*	62	*	36	*	51	*	168	82.1 (104)
0504	360	87.2 (3)	271	53.1 (4)	232	22.4 (9)	158	42.4 (1)	219	21.0 (5)	795	86.8 (66)
0505	218	83.9 (8)	155	45.8 (6)	133	18.0 (29)	88	*	133	16.5 (16)	409	89.2 (37)
0506	138	80.4 (19)	90	*	92	*	53	*	77	*	374	88.0 (52)
0507	80	*	82	*	84	*	50	*	69	*	357	91.6 (20)
0508	19	*	25	*	28	*	16	*	25	*	144	84.7 (84)
0509	0	*	0	*	1	*	0	*	0	*	9	*
0650	936	67.9 (81)	666	35.3 (40)	720	13.9 (67)	406	23.9 (35)	531	11.1 (52)	1,945	89.8 (30)
0651	517	67.7 (83)	409	30.8 (75)	422	12.6 (77)	264	21.6 (52)	345	11.3 (50)	1,265	89.6 (32)
0652	286	70.6 (68)	201	33.3 (56)	219	15.1 (53)	127	16.5 (73)	170	8.2 (82)	653	87.4 (58)
0653	348	78.7 (27)	280	43.6 (9)	321	19.9 (18)	151	35.1 (5)	236	15.3 (21)	1,099	83.5 (94)
0654	322	71.1 (67)	248	32.7 (61)	259	19.7 (20)	158	24.1 (33)	205	12.2 (42)	712	87.2 (60)
0655	273	74.7 (49)	204	35.3 (40)	223	12.6 (77)	131	20.6 (55)	168	11.9 (44)	617	80.7 (116)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 70

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
0657	59	*	49	*	45	*	29	*	34	*
0701	373	87.4 (1)	300	53.7 (2)	299	27.4 (1)	207	33.8 (9)	260	16.5 (16)
0702	70	*	50	*	47	*	34	*	46	*
0703	133	71.4 (64)	122	40.2 (20)	118	16.1 (44)	74	*	102	15.7 (20)
0704	43	*	39	*	44	*	22	*	34	*
0705	60	*	52	*	49	*	37	*	46	*
0706	29	*	23	*	18	*	13	*	18	*
0850	649	82.1 (12)	429	37.1 (30)	484	16.7 (37)	241	16.6 (71)	354	7.1 (90)
0851	557	79.7 (26)	373	35.4 (39)	398	18.6 (24)	219	29.2 (19)	328	13.1 (35)
0901	1,363	63.5 (95)	723	27.7 (88)	1,120	13.6 (69)	408	20.8 (54)	675	4.6 (109)
0902	28	*	26	*	32	*	10	*	23	*
1051	1,047	82.7 (11)	625	47.7 (5)	730	25.1 (2)	366	36.3 (3)	503	13.1 (35)
1052	12	*	1	*	0	*	1	*	0	*
1101	1,500	68.1 (80)	1,018	32.1 (62)	797	15.1 (53)	739	18.8 (61)	858	8.7 (75)
									2,742	73.5 (143)
									6,040	3.6 (138)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 71

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1102	678	73.2 (56)	492	34.8 (43)	371	13.5 (71)	352	24.1 (33)	426	12.4 (39)	1,261	81.6 (108)
1104	3	*	1	*	0	*	1	*	1	*	0	*
1106	64	*	47	*	39	*	33	*	40	*	134	81.3 (110)
1250	913	71.7 (62)	555	29.7 (79)	638	15.8 (47)	353	19.5 (58)	475	11.2 (51)	1,578	79.1 (123)
1251	597	75.5 (46)	379	31.7 (65)	361	13.6 (69)	227	26.4 (25)	318	14.8 (27)	1,267	83.0 (97)
1252	461	83.1 (10)	358	38.0 (25)	374	16.6 (39)	212	25.5 (26)	263	12.2 (42)	1,172	84.0 (91)
1253	629	80.9 (17)	437	35.2 (42)	478	17.4 (33)	290	25.5 (26)	337	13.4 (31)	1,564	89.4 (35)
1350	2,078	70.3 (70)	1,345	31.3 (69)	1,507	14.9 (59)	782	19.7 (57)	1,003	9.3 (67)	4,010	90.2 (28)
1351	55	*	37	*	48	*	29	*	32	*	148	98.6 (2)
1352	354	63.8 (94)	241	25.3 (101)	298	11.4 (92)	117	20.5 (56)	174	9.8 (62)	929	98.5 (3)
1401	202	80.2 (24)	143	42.7 (13)	138	16.7 (37)	87	*	124	20.2 (8)	427	80.3 (120)
1402	101	86.1 (5)	75	*	63	*	39	*	61	*	293	75.4 (137)
1403	16	*	11	*	11	*	9	*	11	*	88	*
1501	699	67.1 (87)	439	36.9 (31)	568	13.2 (74)	304	21.7 (50)	363	10.2 (59)	1,590	86.9 (63)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 72

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1503	794	72.3 (60)	539	38.0 (25)	635	15.0 (56)	378	24.9 (29)	447	17.4 (15)	1,898	96.3 (8)
1504	1,755	76.1 (39)	1,025	36.4 (34)	1,309	15.0 (56)	565	22.1 (48)	786	10.8 (55)	3,574	91.7 (19)
1505	256	82.0 (13)	110	39.1 (24)	174	14.9 (59)	70	*	95	*	588	97.4 (5)
1506	526	68.8 (75)	351	33.6 (51)	368	13.0 (75)	247	24.7 (30)	292	8.9 (73)	1,239	95.2 (9)
1507	498	77.7 (29)	342	38.0 (25)	347	11.8 (89)	233	34.8 (7)	259	18.5 (10)	610	86.4 (68)
1508	9	*	7	*	9	*	2	*	2	*	31	*
1509	354	61.3 (105)	199	30.2 (77)	264	14.8 (61)	135	21.5 (53)	174	11.5 (47)	838	92.7 (17)
1511	537	76.0 (42)	410	31.7 (65)	482	16.4 (42)	261	23.0 (40)	354	12.7 (38)	1,311	90.6 (25)
1512	297	72.7 (59)	202	30.2 (77)	261	16.5 (41)	143	24.5 (32)	171	10.5 (58)	739	93.9 (10)
1514	394	80.7 (18)	227	44.9 (7)	299	25.1 (2)	140	35.0 (6)	171	21.1 (4)	924	98.8 (1)
1701	481	63.4 (96)	301	33.6 (51)	343	20.7 (11)	189	33.3 (10)	270	21.9 (1)	1,140	89.8 (30)
1950	541	81.9 (14)	340	33.5 (54)	305	17.4 (33)	187	29.9 (18)	273	14.7 (28)	965	84.4 (89)
1952	119	87.4 (1)	78	*	70	*	37	*	58	*	237	84.0 (91)
1953	228	86.4 (4)	149	43.6 (9)	182	17.6 (32)	93	*	126	17.5 (14)	593	85.8 (75)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 73

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
1954	399	79.9 (25)	269	36.8 (32)	258	20.5 (12)	154	24.7 (30)	221	11.8 (45)	825	84.5 (87)
1955	96	*	71	*	61	*	34	*	56	*	238	82.8 (99)
1957	352	83.2 (9)	210	33.8 (49)	237	15.2 (52)	120	28.3 (22)	180	11.7 (46)	853	86.4 (68)
1963	64	*	46	*	34	*	18	*	39	*	176	83.5 (94)
1964	7	*	14	*	10	*	8	*	12	*	39	*
2150	552	75.9 (44)	402	40.8 (18)	441	14.3 (63)	277	23.8 (37)	319	13.2 (32)	1,099	86.4 (68)
2151	185	58.4 (116)	125	29.6 (80)	107	7.5 (120)	97	*	105	11.4 (49)	285	86.7 (67)
2152	22	*	18	*	18	*	12	*	14	*	47	*
2251	345	70.4 (69)	241	41.5 (15)	296	17.9 (30)	149	35.6 (4)	208	20.7 (6)	875	89.5 (33)
2252	149	73.2 (56)	102	34.3 (46)	121	19.8 (19)	80	*	90	*	448	89.3 (36)
2554	48	*	36	*	30	*	27	*	31	*	175	75.4 (137)
2555	6,436	53.1 (128)	4,179	23.4 (109)	4,001	11.0 (98)	2,543	12.4 (85)	3,266	7.0 (92)	12,514	82.9 (98)
2556	379	52.2 (131)	267	19.9 (119)	326	9.5 (109)	150	12.0 (87)	206	4.9 (107)	1,094	77.4 (129)
2557	3	*	3	*	0	*	3	*	3	*	30	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 74

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
2558	2	*	1	*	1	*	1	*	1	*	21	*	25	*
2559	0	*	0	*	1	*	0	*	0	*	8	*	9	*
2560	2	*	1	*	1	*	2	*	1	*	22	*	26	*
2561	1	*	0	*	1	*	0	*	0	*	6	*	8	*
2562	11	*	13	*	13	*	6	*	8	*	86	*	123	4.9 (172)
2563	35	*	24	*	35	*	18	*	19	*	85	*	170	6.5 (182)
2564	15	*	5	*	5	*	4	*	5	*	15	*	46	*
2565	0	*	0	*	0	*	0	*	0	*	3	*	3	*
3001	1,034	55.5 (123)	662	16.8 (127)	650	8.2 (116)	445	8.3 (103)	613	2.8 (120)	2,382	71.2 (146)	4,689	3.5 (133)
3002	222	51.8 (133)	174	15.5 (129)	158	7.0 (122)	114	10.5 (97)	165	2.4 (125)	714	78.4 (126)	1,277	3.0 (119)
3004	208	67.8 (82)	141	30.5 (76)	111	13.5 (71)	93	*	123	7.3 (88)	364	80.8 (114)	799	2.5 (96)
3005	99	*	47	*	42	*	47	*	45	*	164	89.0 (39)	365	2.5 (96)
3007	12	*	10	*	7	*	8	*	9	*	40	*	74	*
3009	0	*	1	*	0	*	1	*	0	*	2	*	4	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 75

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
3201	383	76.5 (36)	277	36.8 (32)	228	12.3 (80)	180	12.2 (86)	235	6.4 (96)	863	84.8 (81)
3301	3,686	73.5 (55)	2,192	34.3 (46)	2,426	16.2 (43)	1,376	18.0 (64)	1,788	9.5 (64)	7,068	88.2 (49)
3304	84	*	56	*	63	*	42	*	45	*	245	93.9 (10)
3305	152	80.3 (21)	93	*	121	24.8 (4)	67	*	87	*	450	93.1 (15)
3306	237	75.1 (48)	173	39.3 (23)	192	24.0 (7)	94	*	147	15.0 (24)	643	93.5 (14)
3308	88	*	63	*	66	*	32	*	52	*	198	93.9 (10)
3309	3	*	3	*	1	*	2	*	2	*	8	*
3312	384	66.9 (88)	241	31.5 (67)	254	13.4 (73)	164	14.6 (79)	201	9.5 (64)	1,010	88.2 (49)
3314	4	*	0	*	0	*	0	*	0	*	4	*
3550	57	*	41	*	32	*	27	*	36	*	136	84.6 (85)
3551	14	*	11	*	5	*	7	*	10	*	29	*
3552	16	*	14	*	11	*	8	*	13	*	44	*
3701	834	81.5 (15)	581	35.5 (36)	696	17.8 (31)	373	28.4 (20)	505	14.1 (29)	1,817	87.2 (60)
3850	2,640	67.6 (84)	2,374	35.8 (35)	2,125	12.1 (83)	1,344	21.7 (50)	1,918	12.4 (39)	6,295	76.2 (134)
											12,244	2.9 (117)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 76

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
3901	1,369	64.9 (93)	914	31.1 (72)	810	12.3 (80)	647	22.6 (44)	802	8.5 (79)	2,478	72.2 (145)
3902	72	*	38	*	39	*	31	*	34	*	75	*
3903	26	*	14	*	15	*	7	*	13	*	63	*
3904	4	*	1	*	3	*	1	*	1	*	14	*
3905	6	*	6	*	8	*	3	*	4	*	20	*
3950	1,932	69.3 (72)	1,275	31.3 (69)	1,247	14.1 (65)	814	22.4 (45)	1,087	8.6 (76)	3,974	76.8 (132)
3954	18	*	14	*	19	*	10	*	14	*	40	*
4106	1,902	71.2 (65)	1,389	23.1 (110)	1,433	11.4 (92)	817	9.9 (100)	1,140	6.0 (100)	4,524	88.3 (48)
4107	2,488	74.4 (51)	1,587	31.5 (67)	1,645	15.0 (56)	1,022	22.7 (43)	1,374	11.5 (47)	4,610	81.3 (110)
4109	670	76.1 (39)	526	33.7 (50)	539	16.1 (44)	372	22.3 (46)	458	10.7 (56)	1,754	81.6 (108)
4110	10	*	3	*	0	*	2	*	3	*	0	*
4112	485	30.7 (145)	367	21.5 (114)	372	9.1 (111)	256	5.1 (118)	350	2.3 (127)	1,119	98.4 (4)
4115	3,000	73.9 (53)	1,997	33.3 (56)	2,022	18.1 (28)	1,161	17.1 (67)	1,492	9.2 (69)	4,271	83.1 (96)
4351	449	80.4 (19)	246	31.3 (69)	417	19.2 (22)	140	31.4 (14)	212	15.1 (22)	1,102	96.5 (6)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 77

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
4352	144	67.4 (85)	91	*	119	12.6 (77)	73	*	80	*	363	77.1 (131)
4353	372	76.9 (32)	225	39.6 (22)	320	16.6 (39)	136	22.8 (42)	189	8.5 (79)	999	87.0 (62)
4354	642	68.5 (78)	476	31.9 (64)	569	15.5 (49)	309	23.0 (40)	390	9.2 (69)	1,373	91.3 (22)
4355	249	73.9 (53)	191	42.9 (12)	237	16.9 (35)	120	34.2 (8)	164	21.3 (3)	671	92.8 (16)
4356	362	71.5 (63)	230	33.5 (54)	300	15.3 (51)	169	28.4 (20)	201	12.9 (37)	848	85.1 (80)
4358	39	*	35	*	46	*	21	*	32	*	156	90.4 (26)
4359	510	72.9 (58)	290	32.8 (60)	437	18.5 (26)	152	27.6 (23)	248	9.3 (67)	1,234	88.2 (49)
4360	174	84.5 (7)	126	53.2 (3)	152	23.0 (8)	94	*	114	19.3 (9)	473	90.7 (24)
4361	229	80.3 (21)	140	44.3 (8)	183	22.4 (9)	95	*	125	21.6 (2)	519	81.1 (113)
4362	262	85.5 (6)	184	43.5 (11)	201	24.4 (5)	113	37.2 (2)	152	13.2 (32)	495	87.9 (53)
4363	681	77.2 (30)	511	40.1 (21)	558	20.4 (13)	327	30.0 (17)	435	14.9 (25)	1,558	87.7 (55)
4401	800	78.4 (28)	676	37.4 (29)	716	18.2 (27)	437	19.0 (60)	590	8.6 (76)	1,914	88.9 (40)
4501	746	76.9 (32)	547	34.4 (44)	607	14.7 (62)	344	16.3 (75)	468	5.3 (103)	1,875	88.6 (44)
4601	1,103	68.8 (75)	791	31.1 (72)	709	18.6 (24)	558	23.3 (39)	713	12.3 (41)	2,186	78.6 (124)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 78

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
4701	937	76.1 (39)	688	33.6 (51)	707	15.8 (47)	458	22.1 (48)	590	13.2 (32)	2,384	85.9 (73)
5050	1,349	58.1 (118)	1,042	26.4 (93)	1,040	12.1 (83)	774	15.2 (77)	913	11.1 (52)	2,407	84.6 (85)
5051	2,333	61.9 (103)	1,658	26.5 (92)	1,643	12.3 (80)	1,258	14.8 (78)	1,456	8.2 (82)	3,839	77.8 (128)
5052	2,404	59.0 (112)	1,768	24.9 (102)	1,837	11.7 (90)	1,292	11.2 (93)	1,550	6.4 (96)	4,367	78.4 (126)
5055	1,102	49.4 (136)	630	18.6 (122)	999	4.4 (133)	337	6.8 (111)	534	1.9 (129)	3,549	80.2 (121)
5101	1,441	69.1 (73)	837	29.0 (84)	1,061	15.5 (49)	478	18.8 (61)	677	9.6 (63)	2,734	85.7 (76)
5102	23	*	18	*	21	*	11	*	17	*	52	*
5202	622	81.4 (16)	377	34.2 (48)	500	19.4 (21)	183	32.8 (11)	271	14.0 (30)	1,444	96.4 (7)
5206	15	*	13	*	23	*	2	*	7	*	60	*
5601	865	77.1 (31)	598	35.5 (36)	514	24.3 (6)	438	30.8 (16)	534	16.5 (16)	1,867	88.5 (45)
5801	1,446	63.2 (98)	1,056	26.4 (93)	1,028	11.3 (94)	701	16.8 (70)	930	5.3 (103)	2,948	82.1 (104)
5803	79	*	81	*	83	*	57	*	73	*	327	88.4 (46)
5804	19	*	17	*	10	*	14	*	16	*	80	*
5806	177	62.7 (100)	159	29.6 (80)	108	12.0 (85)	100	13.0 (83)	132	6.8 (93)	81	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 79

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
6101	41	*	31	*	39	*	21	*	23	*	103	75.7 (136)	206	4.4 (158)
6102	93	*	72	*	91	*	52	*	53	*	289	84.8 (81)	526	3.8 (145)
6103	3,138	61.3 (105)	1,852	24.7 (105)	2,296	10.0 (105)	1,221	17.1 (67)	1,493	7.2 (89)	6,027	70.6 (147)	12,863	3.2 (125)
6105	13	*	17	*	19	*	9	*	16	*	67	*	113	0.0 (1)
6106	85	*	43	*	39	*	28	*	32	*	64	*	218	5.5 (179)
6301	3,062	66.9 (88)	2,138	26.6 (91)	1,870	11.3 (94)	1,612	14.1 (82)	1,877	7.9 (85)	5,583	75.4 (137)	12,336	1.0 (35)
6312	1,572	76.0 (42)	1,153	40.4 (19)	1,058	20.1 (15)	851	27.3 (24)	971	17.7 (13)	3,763	81.7 (107)	7,385	0.5 (14)
6316	1,033	76.8 (35)	764	34.4 (44)	691	14.2 (64)	530	18.1 (63)	658	10.6 (57)	2,231	85.3 (79)	4,595	0.6 (17)
6318	83	*	16	*	3	*	18	*	12	*	17	*	110	0.9 (32)
6320	290	80.3 (21)	157	42.0 (14)	100	20.0 (16)	129	32.6 (12)	135	18.5 (10)	431	73.8 (142)	977	0.5 (14)
6325	252	75.8 (45)	158	32.9 (59)	130	20.0 (16)	112	22.3 (46)	139	15.1 (22)	512	80.7 (116)	1,089	3.0 (119)
6335	860	68.8 (75)	668	26.2 (96)	555	11.9 (86)	471	11.7 (89)	579	6.7 (94)	2,304	87.7 (55)	4,423	0.2 (7)
6340	11	*	8	*	4	*	8	*	7	*	31	*	59	*
6345	75	*	54	*	42	*	45	*	47	*	143	88.8 (41)	324	1.5 (62)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 80

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
6360	796	66.3 (92)	489	28.6 (86)	369	14.1 (65)	378	19.3 (59)	425	11.1 (52)	1,667	70.0 (148)	3,425	1.9 (80)
7304	0	*	0	*	0	*	0	*	0	*	1	*	2	*
7306	1,991	62.5 (101)	1,335	23.6 (107)	1,182	9.7 (108)	1,046	11.7 (89)	1,152	6.4 (96)	3,875	80.5 (119)	8,416	2.6 (103)
7308	0	*	0	*	0	*	0	*	0	*	2	*	2	*
7310	0	*	1	*	0	*	0	*	1	*	2	*	2	*
7401	1,831	63.4 (96)	1,273	25.6 (99)	1,518	11.6 (91)	774	16.4 (74)	1,125	9.9 (61)	3,659	78.5 (125)	7,654	4.0 (152)
7601	497	53.3 (127)	335	28.7 (85)	330	13.9 (67)	228	25.4 (28)	300	16.0 (19)	1,033	82.4 (101)	2,129	2.1 (87)
7850	950	67.2 (86)	653	32.0 (63)	801	15.1 (53)	435	17.9 (65)	555	10.1 (60)	2,139	82.4 (101)	4,235	2.5 (96)
7852	18	*	9	*	13	*	3	*	7	*	46	*	81	*
8101	1,474	42.9 (141)	991	14.3 (132)	885	6.1 (126)	667	4.9 (120)	854	2.5 (123)	3,318	59.6 (156)	6,766	3.4 (130)
8102	464	52.4 (130)	251	15.5 (129)	253	3.6 (134)	170	5.9 (114)	214	2.8 (120)	988	65.0 (155)	1,951	2.1 (87)
8105	551	58.6 (114)	392	21.4 (115)	336	5.7 (129)	332	12.7 (84)	360	9.4 (66)	1,298	90.4 (26)	2,669	0.7 (21)
8106	485	58.6 (114)	212	15.1 (131)	345	6.1 (126)	150	10.7 (96)	199	3.0 (118)	911	45.4 (168)	1,884	1.5 (62)
8150	11	*	16	*	14	*	11	*	14	*	81	*	122	0.8 (28)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 81

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
8151	2,761	76.4 (37)	1,898	40.9 (17)	1,919	20.3 (14)	1,348	23.7 (38)	1,556	14.9 (25)	5,789	88.7 (42)
8152	27	*	19	*	21	*	16	*	16	*	61	*
8153	8	*	8	*	8	*	5	*	7	*	26	*
8155	10	*	8	*	9	*	7	*	7	*	97	*
8157	5	*	6	*	4	*	4	*	5	*	26	*
8201	2,181	59.7 (110)	1,748	25.5 (100)	1,537	9.2 (110)	1,269	14.6 (79)	1,553	8.1 (84)	4,263	83.6 (93)
8202	3,293	47.2 (138)	2,464	24.8 (103)	2,751	9.1 (111)	1,664	5.7 (116)	2,068	3.0 (118)	8,668	82.7 (100)
8203	306	75.5 (46)	269	30.9 (74)	236	10.6 (100)	184	15.8 (76)	227	8.8 (74)	777	76.4 (133)
8250	491	58.7 (113)	390	20.5 (117)	332	8.7 (114)	266	7.9 (105)	350	4.9 (107)	895	74.9 (140)
8252	110	69.1 (73)	69	*	101	9.9 (106)	53	*	61	*	292	54.1 (161)
8255	1,780	58.2 (117)	1,547	23.5 (108)	1,271	10.8 (99)	1,107	11.4 (91)	1,337	6.7 (94)	3,446	74.8 (141)
8257	1,457	66.7 (91)	1,355	35.5 (36)	1,234	16.9 (35)	1,010	4.6 (121)	1,195	3.9 (112)	4,100	84.2 (90)
8263	516	57.0 (122)	458	27.5 (89)	394	11.2 (96)	325	14.5 (81)	414	8.5 (79)	1,141	77.2 (130)
8264	593	62.9 (99)	540	27.2 (90)	453	11.9 (86)	367	16.6 (71)	477	9.0 (71)	1,257	80.0 (122)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 82

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
8267	525	53.9 (125)	466	21.2 (116)	419	7.6 (119)	340	9.4 (102)	423	6.4 (96)	1,167	85.4 (78)
8901	701	49.2 (137)	549	17.5 (125)	454	8.1 (117)	345	6.1 (113)	457	2.8 (120)	1,710	57.8 (158)
8902	1,078	62.2 (102)	777	24.8 (103)	729	8.5 (115)	567	10.9 (94)	658	7.4 (87)	2,424	56.3 (159)
8903	1,169	51.9 (132)	819	17.7 (123)	751	5.5 (130)	585	5.8 (115)	717	2.2 (128)	2,336	50.5 (166)
8904	1,551	58.0 (119)	1,368	19.9 (119)	1,214	7.0 (122)	873	6.9 (110)	1,184	4.0 (110)	3,587	52.9 (162)
8905	1,640	58.0 (119)	1,000	26.1 (97)	864	10.2 (103)	658	10.8 (95)	798	6.0 (100)	3,049	68.0 (150)
8909	688	60.0 (108)	477	26.4 (93)	391	7.2 (121)	334	7.8 (106)	395	5.3 (103)	1,182	54.4 (160)
9045	1,470	46.3 (139)	812	22.2 (113)	862	11.1 (97)	505	9.9 (100)	707	7.1 (90)	3,335	70.0 (148)
9050	882	52.8 (129)	585	23.9 (106)	627	5.9 (128)	438	5.0 (119)	474	2.5 (123)	1,614	67.6 (151)
9051	1,375	60.4 (107)	1,052	26.1 (97)	931	9.8 (107)	673	6.2 (112)	882	4.0 (110)	2,871	67.4 (152)
9053	1,173	59.7 (110)	561	29.1 (83)	444	11.9 (86)	451	10.4 (98)	479	5.8 (102)	1,474	50.7 (165)
9055	679	39.2 (142)	37	*	6	*	42	*	27	*	18	*
9058	924	57.6 (121)	595	22.9 (111)	633	10.4 (102)	505	8.1 (104)	509	3.1 (117)	2,023	85.6 (77)
9066	1,168	50.1 (134)	727	17.5 (125)	1,013	6.8 (124)	401	5.5 (117)	594	2.4 (125)	2,743	49.6 (167)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

WIC PNSS & PedNSS

Run Date: 5/26/2022

Table 7A

2019 - 2021 Pediatric Nutrition Surveillance (1)

Page : 83

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)

Children Aged < 5 Years (3)

Combined 3 Years

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤ 2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
9068	818	44.5 (140)	541	16.1 (128)	568	6.2 (125)	401	10.0 (99)	498	3.6 (114)	1,707	73.5 (143)
9069	2,225	34.4 (144)	1,484	17.6 (124)	1,536	4.7 (132)	1,017	7.3 (108)	1,308	3.3 (115)	4,930	59.6 (156)
9070	1,428	55.5 (123)	879	22.5 (112)	743	7.7 (118)	686	7.0 (109)	784	3.2 (116)	2,496	51.5 (164)
9072	776	53.4 (126)	440	19.1 (121)	594	5.4 (131)	265	11.3 (92)	379	5.3 (103)	1,524	52.8 (163)
9080	2,292	50.1 (134)	1,319	20.3 (118)	1,717	9.0 (113)	894	7.4 (107)	1,117	3.9 (112)	4,990	65.2 (154)
9082	110	60.0 (108)	67	*	64	*	60	*	60	*	156	66.7 (153)
9083	1,312	68.4 (79)	141	61.0 (1)	1	*	143	11.9 (88)	87	*	4	*
9084	898	35.7 (143)	78	*	17	*	98	*	54	*	80	*
9087	6	*	10	*	4	*	8	*	10	*	67	*
Michigan	134,815	64.6	90,949	29.4	93,269	13.1	60,464	16.8	76,732	8.8	279,939	79.6
											584,738	2.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares one Clinic's rate to other Clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.